


MOTOTRBO™ DP1400 Portable Radio



YOU'RE SIMPLY MORE EFFICIENT



Contents

DP1400 MOTOTRBO Portable Radio

DP1400 MOTOTRBO Accessories



DP1400 MOTOTRBO Portable Radio

Simple Voice Communications for the Everyday User



Features

- VHF (136-174MHz); UHF1 (403-470MHz)
- 16 channels
- Large, textured push-to-talk button for ease of use
- 2 programmable buttons to improve ease-of-use and increase operator efficiency
- Tri-colour LED for clear visual feedback on radio operating status
- Digital Emergency via programmable button to help ensure rapid response to critical incidents
- Sophisticated Emergency Calls help ensure employee safety
- Quick, easy-to-use Group and Individual call capability
- PTT ID helps improve communications efficiency and system discipline
- Elegant channel scanning schemes help ensure calls are received first time every time
- Basic Privacy
- VOX Capability
- Lone Worker
- Programmable Text Messaging Capability
- Voice announcement of channel change and feature activation
- Digital Upgrade via Software Purchase (Analogue Only model)
- IP Site Connect (Conventional Multiple Site Coverage) via Software Purchase
- IP54 environmental sealing helps ensure continued operation in tough working conditions

Standard Package

- Battery Option
- Single-Unit Charger Option
- Antenna Options
- 3" Belt Clip (HLN8255_)
- In-box Documentation

NOTE 1: The 24 months warranty only applies to the radio, it does not apply to batteries or accessories shipped within the model package. Service From the Start packages are also available.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 144 MHz, 153.6 MHz, 172.8 MHz

UHF: 420 MHz, 440 MHz

DP1400 136-174M 5W ND PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JA2AN	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
Battery	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA QA04193AA QA04675AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: DP BATT STD NIMH 1400T NON CE ADD: DP BATT STD LI-ION 1600T NON CE ADD: DP BATT STD LI-ION 2300T NON CE ADD: DP BATT STD IP54 LIION 2900T NON CE ADD: DP BATT STD LIION 2900T
Charger	QA03724AA QA03725AA QA03726AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
User Guide	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JA2ANB	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JC2AN	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND ANALOG PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JC2ANB	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JE2AN	DP1400 136-174M 5W OB-CAPABLE ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W OB-CAPABLE ND PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JE2ANB	DP1400 136-174M 5W OB-CAPABLE ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JF2AN	DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JF2ANB	DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JA2AN	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W ND PTI502C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JA2ANB	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA04675AA	ADD:DP BATT STD LIION 2900T	
	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
User Guide	QA03729AA	DEL: CHARGER	
	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
Service from the Start	QA03731AA	DEL: QUICK REFERENCE GUIDE	
	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND ANALOG PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JC2AN	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2300T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA04675AA	ADD:DP BATT STD LIION 2900T	
	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
User Guide	QA03726AA	DEL: CHARGER	
	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
Service from the Start	QA03731AA	DEL: QUICK REFERENCE GUIDE	
	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W ND ANALOG PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JC2ANB	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	
Mandatory Options: One option from each group must be chosen		
Antenna	QA03721AA ADD: UHF STUBBY ANT (403-433MHZ) QA03722AA ADD: UHF STUBBY ANT (430-470MHZ) QA03723AA ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA ADD: DP BATT STD NIMH 1400T QA03715AA ADD: DP BATT STD LIION 1600T QA03716AA ADD: DP BATT STD LIION 2300T QA04008AA ADD: DP BATT STD NIMH 1400T NON CE QA04009AA ADD: DP BATT STD LIION 1600T NON CE QA04010AA ADD: DP BATT STD LIION 2300T NON CE QA04193AA ADD: DP BATT STD IP54 LIION 2900T NON CE QA04675AA ADD: DP BATT STD LIION 2900T	
Charger	QA03727AA ADD: DP SUC SMPS UK 230V QA03728AA ADD: DP SUC SMPS EU 220/240V QA03729AA DEL: CHARGER	
User Guide	QA03730AA ADD: DP1000 SERIES QUICK REF GUIDE QA03731AA DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA ADD: SFS LITE 5 YEAR QA04614AA DEL: NO SFS STANDARD WARRANTY APPLIES QA04984AA ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W OB-CAPABLE ND PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JE2AN	DP1400 403-470M 4W OB-CAPABLE ND PTI502C CE: Yes RTTE: Yes	
Mandatory Options: One option from each group must be chosen		
Antenna	QA03721AA ADD: UHF STUBBY ANT (403-433MHZ) QA03722AA ADD: UHF STUBBY ANT (430-470MHZ) QA03723AA ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA ADD: DP BATT STD NIMH 1400T QA03715AA ADD: DP BATT STD LIION 1600T QA03716AA ADD: DP BATT STD LIION 2300T QA04008AA ADD: DP BATT STD NIMH 1400T NON CE QA04009AA ADD: DP BATT STD LIION 1600T NON CE QA04010AA ADD: DP BATT STD LIION 2300T NON CE QA04193AA ADD: DP BATT STD IP54 LIION 2900T NON CE QA04675AA ADD: DP BATT STD LIION 2900T	
Charger	QA03724AA ADD: DP SUC SMPS UK 230V QA03725AA ADD: DP SUC SMPS EU 220/240V QA03726AA DEL: CHARGER	
User Guide	QA03730AA ADD: DP1000 SERIES QUICK REF GUIDE QA03731AA DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA ADD: SFS LITE 5 YEAR QA04614AA DEL: NO SFS STANDARD WARRANTY APPLIES QA04984AA ADD: SFS LITE 3 YEAR	

DP1400 MOTOTRBO Portable Radio


DP1400 403-470M 4W OB-CAPABLE ND PTI502C


MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JE2ANB DP1400 403-470M 4W OB-CAPABLE ND PTI502C CE: Yes RTTE: Yes		
Mandatory Options: One option from each group must be chosen		
Antenna	QA03721AA ADD: UHF STUBBY ANT (403-433MHZ) QA03722AA ADD: UHF STUBBY ANT (430-470MHZ) QA03723AA ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA ADD: DP BATT STD NIMH 1400T QA03715AA ADD: DP BATT STD LIION 1600T QA03716AA ADD: DP BATT STD LIION 2300T QA04008AA ADD: DP BATT STD NIMH 1400T NON CE QA04009AA ADD: DP BATT STD LIION 1600T NON CE QA04010AA ADD: DP BATT STD LIION 2300T NON CE QA04193AA ADD: DP BATT STD IP54 LIION 2900T NON CE QA04675AA ADD: DP BATT STD LIION 2900T	
Charger	QA03727AA ADD: DP SUC SMPS UK 230V QA03728AA ADD: DP SUC SMPS EU 220/240V QA03729AA DEL: CHARGER	
User Guide	QA03730AA ADD: DP1000 SERIES QUICK REF GUIDE QA03731AA DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA ADD: SFS LITE 5 YEAR QA04614AA DEL: NO SFS STANDARD WARRANTY APPLIES QA04984AA ADD: SFS LITE 3 YEAR	

Antennas

	Antenna VHF 146-162MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 146-162MHz GPS: N Colour Code: Black Length (cm): 9 					
	<table border="1"> <tr> <td>Part Number: HAD9742A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (146-162MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: HAD9742A	List Price	VHF STUBBY ANT (146-162MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9742A	List Price					
VHF STUBBY ANT (146-162MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						


	Antenna VHF 162-174MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 162-174MHz GPS: N Colour Code: Blue Length (cm): 9 					
	<table border="1"> <tr> <td>Part Number: HAD9743A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (162-174MHZ) 8CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: HAD9743A	List Price	VHF STUBBY ANT (162-174MHZ) 8CM		Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9743A	List Price					
VHF STUBBY ANT (162-174MHZ) 8CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna VHF 146-174MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 146-174MHz GPS: N Colour Code: Black Length (cm): 15 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: NAD6502AR</td> <td>List Price</td> </tr> <tr> <td>ANTENNA, STAMPED METAL,VHF HELIFLEX 146=174MHZ</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: NAD6502AR	List Price	ANTENNA, STAMPED METAL,VHF HELIFLEX 146=174MHZ		Unit of Measure: EA CE: No RTTE: No
Part Number: NAD6502AR	List Price					
ANTENNA, STAMPED METAL,VHF HELIFLEX 146=174MHZ						
Unit of Measure: EA CE: No RTTE: No						

	Antenna VHF 136-155MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAD4012A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (136-155MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAD4012A	List Price	VHF STUBBY ANT (136-155MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAD4012A	List Price					
VHF STUBBY ANT (136-155MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna UHF 403-433MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 403-433MHz GPS: N Colour Code: Green Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAE4002A</td> <td>List Price</td> </tr> <tr> <td>UHF STUBBY ANT (403-433MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4002A	List Price	UHF STUBBY ANT (403-433MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4002A	List Price					
UHF STUBBY ANT (403-433MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna UHF 430-470MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 430-470MHz GPS: N Colour Code: Beige Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAE4003A</td> <td>List Price</td> </tr> <tr> <td>UHF STUBBY ANT (430-470MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4003A	List Price	UHF STUBBY ANT (430-470MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4003A	List Price					
UHF STUBBY ANT (430-470MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna UHF 403-520MHz Whip <ul style="list-style-type: none"> Type: Whip Frequency Band: UHF Frequency Range: 403-520MHz GPS: No Colour Code: N/A Length (cm): 17 ATEX Dust Rating: 2D 					
	<table border="1"> <tr> <td>Part Number: PMAE4016A</td> <td>List Price</td> </tr> <tr> <td>ANTENNA, STAMPED METAL,UHF WHIP ANT (403-520 MHZ) 17CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4016A	List Price	ANTENNA, STAMPED METAL,UHF WHIP ANT (403-520 MHZ) 17CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4016A	List Price					
ANTENNA, STAMPED METAL,UHF WHIP ANT (403-520 MHZ) 17CM						
Unit of Measure: EA CE: No RTTE: No						


MOTOTRBO DP1000 Series Radio Accessories


Pricing Information Valid As Of: Tuesday, January 19, 2016

Batteries

	<p>Battery Li-ION 2250mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 204 • Chemistry: Li-ION • Operational Time (Hrs): 14(CP Series) • Operational Time (Hrs): 18.5(DP1000 Digital) • Operational Time (Hrs): 14.5(DP1000 Analogue) • Capacity (mAh): 2250mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 11.36 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4497CR BATT LIION 2250T Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Battery NiMH 1400mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 210 • Chemistry: NiMH • Operational Time (Hrs): 10(CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 8.84 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Yes • Requires Maintenance: Yes • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4851A BATT NIMH 1480T Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Battery Li-Ion 1600mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 16 • Weight (g): 134 • Chemistry: Li-ION • Operational Time (Hrs): 12(CP Series) • Operational Time (Hrs): 13.5(DP1000 Digital) • Operational Time (Hrs): 10.5(DP1000 Analogue) • Capacity (mAh): 1600mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 13.89 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4970A SLIM LI ION BATTERY 1600 MAH Unit of Measure: EA CE: No RTTE: No</p>	

	<p>NiMH 1400mAh (Typical) CE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120.69 x 60.36 x 23.35 • Weight (g): 230 • Chemistry: NiMH • Operational Time (Hrs): 10 (CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh (Typical) • Intelligent: No • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 7.64 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Low • Requires Maintenance: Yes • Intrinsic Safety Std: No • Note: New CE battery replacement for NNTN4851A/A-EU 	<p>List Price</p>
	<p>Part Number: PMNN4251AR BATT NIMH 1400T Unit of Measure: EA CE: Yes RTTE: Yes</p>	


Batteries (Continued)



Li-Ion 1600mAh (Typical) CE Battery

- Dimensions HxWxD (mm):120.94 x 60.29 x 20.61
- Weight (g): 147
- Chemistry: Li-Ion
- Operational Time (Hrs): 12(CP Series)
- Operational Time (Hrs): 13.5(DP1000 Digital)
- Operational Time (Hrs): 10.5(DP1000 Analogue)
- Capacity (mAh): 1600mAh (Typical)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAh/cm³): 9.98
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: New CE battery replacement for NNTN4970A/A-EU


Part Number: PMNN4253AR	List Price
BATT LIION 1600T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2300mAh (Typical) CE Battery

- Dimensions HxWxD (mm):120.94 x 60.36 x 23.35
- Weight (g): 138
- Chemistry: Li-Ion
- Operational Time (Hrs): 14(CP Series)
- Operational Time (Hrs): 18.5(DP1000 Digital)
- Operational Time (Hrs): 14.5(DP1000 Analogue)
- Capacity (mAh): 2300mAh (Typical)
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³): 12.85
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: New CE battery replacement for NNTN4497CR/CR-EU

Part Number: PMNN4254AR	List Price
BATT LIION 2300T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2900mAh CE Battery

- Dimensions HxWxD (mm):120.69 x 60.36 x 23.35
- Weight (g): 145
- Chemistry: Li-Ion
- Operational Time (Hrs):19 (CP Series)
- Operational Time (Hrs): 23 (DP1000 Digital)
- Operational Time(Hrs):18 (DP1000 Analogue)
- Capacity (mAh): 2900mAh (Typical) / 2800mAh (Minimum)
- IP Rating : IP54
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³):
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No

Part Number: PMNN4258AR	List Price
BATTERY PACK,BATT LIION IP54 2900T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2050mAh CE Battery (Mag One)


- Dimensions HxWxD (mm):119.37 x 60.36 x 23.35
- Weight(g): 135
- Chemistry: Lilon
- Operational Time(Hrs): 13.5 (CP Series)
- Operational Time (Hrs): 17.5 (DP1000 Digital)
- Operational Time (Hrs):13.5 (DP1000 Analogue)
- Capacity (mAh): 2075mAh (Typ)
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³): 14.8
- Operating Temp Range: -10C to +60C
- Memory Effect: None
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: CE Battery

Part Number: PMNN4259AR	List Price
BATTERY PACK, BATT MAGONE LIION 2075T	
Unit of Measure: EA	CE: Yes RTTE: Yes

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016

Batteries (Continued)

	<p>Li-Ion 2900mAh NonCE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 120.69 x 60.36 x 23.35 • Weight (g): 145 • Chemistry: Li-Ion • Operational Time (Hrs): 19 (CP Series) • Operational Time (Hrs): 23 (DP1000 Digital) • Operational Time (Hrs): 18 (DP1000 Analogue) • Capacity (mAh): 2900mAh (Typical) / 2800mAh (Minimum) • IP Rating : IP54 • Intelligent: No • Number of Charge Cycles: 300 • Energy Density (mAh/cm³): • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	List Price
	<p>Part Number: PMNN4450AR BATT LIION IP54 2900T</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Li-Ion 2075mAh Non-CE Battery (Mag One)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 119.37 x 60.36 x 23.35 • Weight(g): 135 • Chemistry: Lilon • Operational Time(Hrs): 13.5 (CP Series) • Operational Time (Hrs): 17.5 (DP1000 Digital) • Operational Time (Hrs): 13.5 (DP1000 Analogue) • Capacity (mAh): 2075mAh (Typ) • Intelligent: No • Number of Charge Cycles: 300 • Energy Density (mAh/cm³): 14.8 • Operating Temp Range: -10C to +60C • Memory Effect: None • Requires Maintenance: No • Intrinsic Safety Std: No • Note: Non-CE Battery 	List Price
	<p>Part Number: PMNN4458AR BATT_MAGONE_LIION_2075T</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

Carrying Solutions

	<p>Universal Nylon Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: HLN6602A UNIVERSAL CHESTPACK</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Spring Belt Clip (Black)</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Clip • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: HLN8255B SPRING BELT CLIP BLACK</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Nylon Carry Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Belt loop • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: HLN9701B NYLON CARRYCASE SHORT DTMF</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Waterproof Bag</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Shoulder • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: HLN9985B WEATHERPOOF BAGGIE</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Carry Case Shoulder Strap</p> <ul style="list-style-type: none"> • Adjustable Black Nylon Strap for cases with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA • Quick Release of Radio: Yes 	List Price
	<p>Part Number: NTN5243A STRAP</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Break-A-Way Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: RLN4570A BREAKAWAY CHEST PACK</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016

Carrying Solutions (Continued)

	<p>Universal Radiopak & Utility Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: RLN4815A FANNY PACK CARRY ACCESSORY Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5383A LEATHER CC W/BELT LOOP & D-RING Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 6.4 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5384B LEATHER CASE WITH 2.5 Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 7.6 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5385B LEATHER CASE WITH 3" SWIVEL Unit of Measure: EA CE: No RTTE: No</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>2" Belt Clip</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Belt Clip • Belt Swivel: N • Display/Non Display: N/A 	List Price
	<p>Part Number: RLN5644A 2" BELT CLIP Unit of Measure: EA CE: No RTTE: No</p>	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016

Chargers and Conditioners

	<p>Desktop Rapid Single Unit Charger (UK)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5191B CORE SUC LEVEL V SMPS UK CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Desktop Rapid Single Unit Charger (Euro)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5192B CORE SUC LEVEL V SMPS EU CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Desktop Rapid Single Unit Charger (US)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 120 V • Line Cord: US • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5193B CORE SUC LEVEL V SMPS NA/LA CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Multi-Unit Charger, Euro plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):90x520x175 • Weight (Kg): 2.35 • Chemistry: Li-ION/NiMH/NiCD • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN6598A CHR STD MUC INT EU</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Multi-Unit Charger, UK plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):90x520x175 • Weight (Kg):2.35 • Chemistry: Li-ION/NiMH/NiCD • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN6600A CHR STD MUC INT UK</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Travel Charger with VPA adaptor</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):70x70x70 • Weight (Kg): 0.3 with Bracket • Chemistry: Li-ION/NiMH • Number of Pockets : 1 • Maintenance System: No • Operating Voltage: 12 - 24 volt • Line Cord: Other • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN7089A CHR STD TRVL EXT</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016

Ear Microphone Solutions



1-Wire Ear Hook, Black

- Operation: Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)


Part Number: BDN6720A	List Price
EARPIECE W/GP300 CONNECTOR	
Unit of Measure: EA	CE: Yes RTTE: No



Clear Coiled Voicetube kit for MDPMLN4418 and MDPMLN4519

- Operation: NA
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM

Part Number: PMLN4605A	List Price
CLEAR COILED AUDIO KIT	
Unit of Measure: EA	CE: Yes RTTE: No



2-Wire Earpiece with clear acoustic tube (Beige)

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM

Part Number: PMLN6445A	List Price
2-W SURV(BEIGE)W CLR ACOUSTICEARPCS	
Unit of Measure: EA	CE: Yes RTTE: Yes



2-Wire Earpiece with clear acoustic tube (Black)

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM


Part Number: PMLN6530A	List Price
2-WIRE W/ TRANS TUBE, BLACK	
Unit of Measure: EA	CE: Yes RTTE: Yes



MagOne Earpiece with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months


Part Number: PMLN6531A	List Price
EARPC W IN-LINE MIC/PTT/VOX, MAG ONE	
Unit of Measure: EA	CE: Yes RTTE: Yes



MagOne Swivel Earpiece with MIC/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN6532A	List Price
SWIVEL EARPC W MIC/PTT MAGONE	
Unit of Measure: EA	CE: Yes RTTE: Yes



2-Wire Earbud with MIC and PTT combined

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No


Part Number: PMLN6533A	List Price
ACCESSORY KIT, EARSET W COMBINED MIC/PTT	
Unit of Measure: EA	CE: Yes RTTE: Yes



MagOne Earbud with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN6534A	List Price
EARBUD W IN-LINE MIC/PTT/VOX, MAGONE	
Unit of Measure: EA	CE: Yes RTTE: Yes



D-Shell Earpiece with PTT/Mic

- Receive Method: Standard
- Transmit Method: Microphone
- VOX capability: No
- PTT: In Line
- Intrinsic Safety: FM (CP140, CP160 and CP180 only, not for use with P100 Series Radios)

Part Number: PMLN6535A	List Price
D-STYLE EARPIECE WITH MIC/PTT	
Unit of Measure: EA	CE: Yes RTTE: Yes



Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6230A	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BLACK	
Unit of Measure: EA	CE: Yes RTTE: No

Ear Microphone Solutions (Continued)



Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Beige)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6231A	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BIEGE	
Unit of Measure: EA CE: No RTTE: No	



Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6232A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BLACK	
Unit of Measure: EA CE: No RTTE: No	



Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Beige)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6241A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BIEGE	
Unit of Measure: EA CE: No RTTE: No	

Replacement Parts



Switch Mode Power Supply (Euro)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: Euro

Part Number: EPNN9286B	List Price
POWER SUPPLY ADAPTOR,SMPS LEVEL V EU CORD	
Unit of Measure: EA CE: Yes RTTE: No	



Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: UK

Part Number: EPNN9287B	List Price
BATTERY PACK,SMPS LEVEL V UK CORD	
Unit of Measure: EA CE: Yes RTTE: No	



Switch Mode Power Supply (US)

- Type: Switch Mode
- Dimensions (mm):100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature (°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: US

Part Number: EPNN9288B	List Price
POWER SUPPLY ADAPTOR,SMPS LEVEL V NA/LA CORD	
Unit of Measure: EA CE: Yes RTTE: No	




Earpad and Windscreen Kit

Replacement parts

Part Number: REX4648A	List Price
Earpad & Windscreen Kit	
Unit of Measure: EA CE: Yes RTTE: No	

MOTOTRBO DP1000 Series Radio Accessories

Replacement Parts (Continued)

	<p>Desktop Rapid Single Unit Charger Base</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: N/A • Line Cord: N/A • Display: No • Charger Type: Rapid 	
	<p>Part Number: WPLN4137BR CHARGER SINGLE UNIT BASE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

Service and Repair

<p>IMAGE COMING SOON</p>	<p>Battery Eliminator for CP Series and DP1400</p> <ul style="list-style-type: none"> • Allows for easier servicing of the Portable radios. 	
	<p>Part Number: 0180305K08EPP BATTERY ELIMINATOR, GUPPY, ROHS</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

	<p>SERVICE TOOL, ASSY</p> <ul style="list-style-type: none"> • Allows easier removal of radio knobs and chassis disassembly. 	
	<p>Part Number: 6686533Z01 SERVICE TOOL, ASSY</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

<p>IMAGE COMING SOON</p>	<p>MOTOTRBO Portable Programming Cable with TTR</p> <ul style="list-style-type: none"> • This cable connects the radio to a USB port for radio programming. 	
	<p>Part Number: PMKN4128A PORTABLE PROGRAMMING WITH TTR</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>


<p>IMAGE COMING SOON</p>	<p>MOTOTRBO Portable Test Cable</p> <ul style="list-style-type: none"> • This cable connects the radio to RLN4460 Portable Test Set for test and measurement. 	
	<p>Part Number: PMKN4156A CABLE, ASSEMBLY, TWO PIN AUDIO JACK TEST CABLE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

	<p>Radio Test Box</p> <ul style="list-style-type: none"> • Test Box used during radio setup/test and tune. 	
	<p>Part Number: RLN4460C TEST BOX, MOBILE/PORTABLE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016


Software and Applications



MOTOTRBO Software DVD EMEA

- Software CD including CPS v12.1,
- Tuner v12.0
- AirTracer Software v8.0
- Radio Management v1.11


Part Number: GMVN5141AL	List Price
MOTOTRBO CPS/TUNER DVD	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Radio Management Licence Key

- This orders the licence key to add an additional 500 radio archives to the Radio Management (RM) Server.
- The RM Server can store and manage up to 5,000 radio codeplug archives.
- The initial installation contains free licences for 10 radio archives by default.
- Additional radio archives for Wired or OTAP management and programming need to be purchased.
- The RM Server can store codeplug and template information for All MOTOTRBO radios when read/written via cable. However ONLY the SL4000, DP/DM4000 and DP2000 series MOTOTRBO radios can be programmed over the air (OTAP).


Part Number: HKVN4065A	List Price
MOTOTRBO RADIO MGMT LIC	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Analogue to Digital Upgrade Software Licence Key

- This orders the licence key to upgrade your Analogue only radio to Digital/Analogue capability.

Part Number: HKVN4204A	List Price
SOFTWARE,MOTOTRBO ANLG TO DIG UPGRADE KEY	
Unit of Measure: EA CE: No RTTE: No	




MOTOTRBO Radio IP Site Connect Licence Key

- This orders the licence key to add IPSC capability to the DP1400, DM1000 Series and SL1600 radio.

Part Number: HKVN4279A	List Price
SOFTWARE,MOTOTRBO RADIO IPSC LIC KEY EA	
Unit of Measure: EA CE: No RTTE: No	

Headsets



MagOne Earset with Boom Microphone and In-line PTT/VOX switch

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months


Part Number: PMLN6537A	List Price
EARSET,BOOMMIC,INLINEPTT/VOX,MAGONE	
Unit of Measure: EA CE: Yes RTTE: Yes	



Lightweight Headset

- PTT: No
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No

Part Number: PMLN6538A	List Price
LIGHTWEIGHT HDSET W SWIVEL BOOM MIC	
Unit of Measure: EA CE: Yes RTTE: Yes	



Medium Weight Dual Muff Headset

- PTT: No
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No

Part Number: PMLN6539A	List Price
MED WT OVER-THE-HEAD DUAL MUFF HDST	
Unit of Measure: EA CE: Yes RTTE: Yes	



Heavy Duty Headset


- PTT:Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: No

Part Number: PMLN6540A	List Price
ACCESSORY KIT,HEAVY-DUTY NC BOOM MIC HDST	
Unit of Measure: EA CE: Yes RTTE: Yes	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 19, 2016

Headsets (Continued)

	<p>Lightweight Temple Transducer</p> <ul style="list-style-type: none"> • Receive method: Bone conduction • Transmit method: Microphone • Voice Activation: Yes • PTT: In Line • Intrinsic Safety: No 	List Price
	<p>Part Number: PMLN6541A LIGHTWEIGHT TEMPLE TRANSDUCER HDST Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Breeze HS with BOOM MIC & PTT</p> <ul style="list-style-type: none"> • PTT: In-line • Receive via: Single ear • Transmit via: Boom mic • Headband: Over • Vox capability: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months 	List Price
	<p>Part Number: PMLN6542A ACCESSORY KIT,BREEZE HS W BOOM MIC & PTT MAGONE Unit of Measure: EA CE: Yes RTTE: Yes</p>	

Remote Speaker Microphones

	<p>Earbud with 3.5mm Plug</p> <ul style="list-style-type: none"> • Operation: Attach to RSM • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: UL-TIA4950/FM 	List Price
	<p>Part Number: MDRLN4885B EARBUD WITH 3.5MM PLUG Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Receive only Earpiece with Translucent Tube and Eartip</p> <ul style="list-style-type: none"> • Operation: Attach to RSM -Receive Only • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: UL-TIA4950/FM 	List Price
	<p>Part Number: MDRLN4941A RECEIVE-ONLY EARP. W. TRANSC. TUBE Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>D-Shell Earpiece, 3.5mm for RSM</p> <ul style="list-style-type: none"> • Operation: Attach to RSM - Receive Only • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: UL-TIA4950/FM 	List Price
	<p>Part Number: PMLN4620B D-SHELL RX-ONLY EARPICEE(3.5MM) Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Remote Speaker Microphone, with Ear Jack & Enhanced Noise Reduction</p> <ul style="list-style-type: none"> • Audio Jack: 3.5mm • Emergency Button: No • Volume Control: No • Noise Cancelling: Windporting feature • IP Rating: IP54 (RSM head only) • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 	List Price
	<p>Part Number: PMMN4013A MICROPHONE,REMOTE SPEAKER MIC,RX-JACK(2 PIN) Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Remote Speaker Microphone, with Enhanced Noise Reduction</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: Windporting feature • IP Rating: IP57 (RSM Head only) • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 	List Price
	<p>Part Number: PMMN4029A REMOTE SPEAKER MIC,IP57 (2 PIN) Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Remote Speaker Microphone with Omnidirectional mic</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months • Note: Not for use with MP300 portable radio. 	List Price
	<p>Part Number: PMMN4092A REMOTE SPEAKER MIC, MAG ONE Unit of Measure: EA CE: Yes RTTE: Yes</p>	

MOTOTRBO DP1000 Series Radio Accessories

Remote Speaker Microphones (Continued)



Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950/FM

Part Number: WADN4190B	List Price
EAR RCVR W/COIL CBL&3.5MM PLUG	
Unit of Measure: EA CE: No RTTE: No	


Miscellaneous Accessories



Option Board Installation Kit

- Provides a generic option board platform onto which application partner developed DP software applications can be loaded
- Kit contains 10 flex, 10 Poron and 20 screws

Part Number: PMLN7228A	List Price
OPTION BOARD INSTALLATION KIT	
Unit of Measure: EA CE: No RTTE: Yes	



RFID Volume Knob

- Pack of 20 radio volume knobs containing high-performance RFID tags.
- Easily retrofitted to MOTOTRBO DP1400 and legacy Motorola CP/GP portables.
- Enables RFID fleet management of Motorola portables.

Part Number: PMLN7355A	List Price
KNOB,RFID VOL KNOB, DP1400 -20 PACK	
Unit of Measure: EA CE: No RTTE: No	



Retainer Kit

- Retainer Kit for Commercial Series Portable Radio.
- Hold Audio accessories securely to the radio in demanding environments.

Part Number: RLN5500A	List Price
Retainer Kit	
Unit of Measure: EA CE: No RTTE: No	

SERVICE FROM THE START

SETTING A NEW STANDARD FOR SERVICE

Every day, you rely on your Motorola MOTOTRBO radios for your critical communications. Now, you can protect these radios against normal wear and tear and more with Service from the Start – one of the most extensive service offerings available.

This unique offering comprises fast turnaround times, expert telephone technical support and access to the latest software releases all backed by Motorola's global infrastructure, highly qualified support technicians and certified repair facilities. You'll get multi-year technical support and repair coverage, eliminating 'surprise' repair costs and providing the investment protection you need to reduce your total cost of ownership.

AT-A-GLANCE: SERVICE FROM THE START VS. WARRANTY

Services	Warranty	SfS Lite	SfS Essential	SfS Comprehensive
Coverage Period	24 months	3 or 5 Years	3 or 5 Years	3 or 5 Years
Repair Turnaround Time (In House)	10+ days	5 days	Next day	Same day
Normal wear & tear	Defects Only	Defects Only	✓	✓
Helpdesk Technical Support Response Time (8x5)	Not Available	Not Available	4 hr response	4 hr response
Shipping	1-way	1-way	1-way	2-way
Software Maintenance	Defects Only	Defects Only During Wty	✓	✓
Accidental damage	Not Available	Not Available	Not Available	✓

Part Numbers and Pricing

The following part numbers should be used to order Service from the Start. They can be accessed at Motorola Online (MOL) by either using the 'Quick Buy' feature or by searching and selecting the appropriate part number using the 'Search Catalog' feature.

Model	Part Number Description	Years	Part Number	List Price
MOTOTRBO Entry	3YR SFS LITE MOTOTRBO	3Yrs	GMLN5403A	
	5YR SFS LITE MOTOTRBO	5Yrs	GMLN5404A	
	3YR SFS ESSENTIAL MOTOTRBO	3Yrs	GMLN5405A	
	5YR SFS ESSENTIAL MOTOTRBO	5Yrs	GMLN5406A	
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	3Yrs	GMLN5407A	
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	5Yrs	GMLN5408A	
MOTOTRBO Mid/High	3YR SFS LITE MOTOTRBO	3Yrs	GMLN5376A	
	5YR SFS LITE MOTOTRBO	5Yrs	GMLN5377A	
	3YR SFS ESSENTIAL MOTOTRBO	3Yrs	GM0261A	
	5YR SFS ESSENTIAL MOTOTRBO	5Yrs	GM0262A	
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	3Yrs	GM0263A	
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	5Yrs	GM0264A	
MOTOTRBO Specialist	3YR SFS LITE MOTOTRBO SPECIALIST	3Yrs	GMLN5378A	
	5YR SFS LITE MOTOTRBO SPECIALIST	5Yrs	GMLN5379A	
	3YR SFS ESSENTIAL MOTOTRBO SPECIALIST	3Yrs	GM0272A	
	5YR SFS ESSENTIAL MOTOTRBO SPECIALIST	5Yrs	GM0273A	
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	3Yrs	GM0275A	
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	5Yrs	GM0274A	

For more details on how to order Service from the Start for MOTOTRBO ATEX or Service from the Start LITE, please refer to the ordering guide at Motorola Online.