


MOTOTRBO™ DP1400 Portable Radio



YOU'RE SIMPLY MORE EFFICIENT



Contents

DP1400 MOTOTRBO Portable Radio

DP1400 MOTOTRBO Accessories



DP1400 MOTOTRBO Portable Radio

Simple Voice Communications for the Everyday User



Features

- VHF (136-174MHz); UHF1 (403-470MHz)
- 16 channels
- Large, textured push-to-talk button for ease of use
- 2 programmable buttons to improve ease-of-use and increase operator efficiency
- Tri-colour LED for clear visual feedback on radio operating status
- Digital Emergency via programmable button to help ensure rapid response to critical incidents
- Sophisticated Emergency Calls help ensure employee safety
- Quick, easy-to-use Group and Individual call capability
- PTT ID helps improve communications efficiency and system discipline
- Elegant channel scanning schemes help ensure calls are received first time every time
- Basic Privacy
- VOX Capability
- Lone Worker
- Programmable Text Messaging Capability
- Voice announcement of channel change and feature activation
- Digital Upgrade via Software Purchase (Analogue Only model)
- IP Site Connect (Conventional Multiple Site Coverage) via Software Purchase
- IP54 environmental sealing helps ensure continued operation in tough working conditions

Standard Package

- Battery Option
- Single-Unit Charger Option
- Antenna Options
- 3" Belt Clip (HLN8255_)
- In-box Documentation

NOTE 1: The 24 months warranty only applies to the radio, it does not apply to batteries or accessories shipped within the model package. Service From the Start packages are also available.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 144 MHz, 153.6 MHz, 172.8 MHz

UHF: 420 MHz, 440 MHz

DP1400 136-174M 5W ND PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JA2AN	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
Battery	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA QA04193AA QA04675AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: DP BATT STD NIMH 1400T NON CE ADD: DP BATT STD LI-ION 1600T NON CE ADD: DP BATT STD LI-ION 2250T NON CE ADD: DP BATT STD IP54 LIION 2900T NON CE ADD: DP BATT STD LIION 2900T
Charger	QA03724AA QA03725AA QA03726AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
User Guide	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JA2ANB	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JC2AN	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND ANALOG PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JC2ANB	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JE2AN	DP1400 136-174M 5W OB-CAPABLE ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W OB-CAPABLE ND PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JE2ANB	DP1400 136-174M 5W OB-CAPABLE ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JF2AN	DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01JDC9JF2ANB	DP1400 136-174M 5W OB-CAPABLE ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA	ADD: VHF STUBBY ANT (151-159MHZ)	
	QA03718AA	ADD: VHF STUBBY ANT (162-174MHZ)	
	QA03719AA	ADD: VHF STUBBY ANT (135-155MHZ)	
	QA03720AA	ADD: VHF WHIP ANT (146-174MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
	QA03729AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JA2AN	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
	QA03726AA	DEL: CHARGER	
User Guide	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
	QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W ND PTI502C (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
Service from the Start	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JA2ANB	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA04675AA	ADD:DP BATT STD LIION 2900T	
	QA03727AA	ADD: DP SUC SMPS UK 230V	
	QA03728AA	ADD: DP SUC SMPS EU 220/240V	
User Guide	QA03729AA	DEL: CHARGER	
	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
Service from the Start	QA03731AA	DEL: QUICK REFERENCE GUIDE	
	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W ND ANALOG PTI502C

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH01QDC9JC2AN	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
	QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
	QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA	ADD: DP BATT STD NIMH 1400T	
	QA03715AA	ADD: DP BATT STD LIION 1600T	
	QA03716AA	ADD: DP BATT STD LIION 2300T	
	QA04008AA	ADD: DP BATT STD NIMH 1400T NON CE	
	QA04009AA	ADD: DP BATT STD LI-ION 1600T NON CE	
	QA04010AA	ADD: DP BATT STD LI-ION 2250T NON CE	
	QA04193AA	ADD: DP BATT STD IP54 LIION 2900T NON CE	
Charger	QA04675AA	ADD:DP BATT STD LIION 2900T	
	QA03724AA	ADD: DP SUC SMPS UK 230V	
	QA03725AA	ADD: DP SUC SMPS EU 220/240V	
User Guide	QA03726AA	DEL: CHARGER	
	QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
Service from the Start	QA03731AA	DEL: QUICK REFERENCE GUIDE	
	QA04611AA	ADD: SFS LITE 5 YEAR	
	QA04614AA	DEL: NO SFS STANDARD WARRANTY APPLIES	
	QA04984AA	ADD: SFS LITE 3 YEAR	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W ND ANALOG PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JC2ANB	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	
Mandatory Options: One option from each group must be chosen		
Antenna	QA03721AA ADD: UHF STUBBY ANT (403-433MHZ) QA03722AA ADD: UHF STUBBY ANT (430-470MHZ) QA03723AA ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA ADD: DP BATT STD NIMH 1400T QA03715AA ADD: DP BATT STD LIION 1600T QA03716AA ADD: DP BATT STD LIION 2300T QA04008AA ADD: DP BATT STD NIMH 1400T NON CE QA04009AA ADD: DP BATT STD LIION 1600T NON CE QA04010AA ADD: DP BATT STD LIION 2250T NON CE QA04193AA ADD: DP BATT STD IP54 LIION 2900T NON CE QA04675AA ADD: DP BATT STD LIION 2900T	
Charger	QA03727AA ADD: DP SUC SMPS UK 230V QA03728AA ADD: DP SUC SMPS EU 220/240V QA03729AA DEL: CHARGER	
User Guide	QA03730AA ADD: DP1000 SERIES QUICK REF GUIDE QA03731AA DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA ADD: SFS LITE 5 YEAR QA04614AA DEL: NO SFS STANDARD WARRANTY APPLIES QA04984AA ADD: SFS LITE 3 YEAR	

DP1400 403-470M 4W OB-CAPABLE ND PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JE2AN	DP1400 403-470M 4W OB-CAPABLE ND PTI502C CE: Yes RTTE: Yes	
Mandatory Options: One option from each group must be chosen		
Antenna	QA03721AA ADD: UHF STUBBY ANT (403-433MHZ) QA03722AA ADD: UHF STUBBY ANT (430-470MHZ) QA03723AA ADD: UHF WHIP ANT (403-520MHZ)	
Battery	QA03714AA ADD: DP BATT STD NIMH 1400T QA03715AA ADD: DP BATT STD LIION 1600T QA03716AA ADD: DP BATT STD LIION 2300T QA04008AA ADD: DP BATT STD NIMH 1400T NON CE QA04009AA ADD: DP BATT STD LIION 1600T NON CE QA04010AA ADD: DP BATT STD LIION 2250T NON CE QA04193AA ADD: DP BATT STD IP54 LIION 2900T NON CE QA04675AA ADD: DP BATT STD LIION 2900T	
Charger	QA03724AA ADD: DP SUC SMPS UK 230V QA03725AA ADD: DP SUC SMPS EU 220/240V QA03726AA DEL: CHARGER	
User Guide	QA03730AA ADD: DP1000 SERIES QUICK REF GUIDE QA03731AA DEL: QUICK REFERENCE GUIDE	
Service from the Start	QA04611AA ADD: SFS LITE 5 YEAR QA04614AA DEL: NO SFS STANDARD WARRANTY APPLIES QA04984AA ADD: SFS LITE 3 YEAR	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W OB-CAPABLE ND PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JE2ANB	DP1400 403-470M 4W OB-CAPABLE ND PTI502C CE: Yes RTTE: Yes	-


Mandatory Options: One option from each group must be chosen


Antenna	QA03721AA QA03722AA QA03723AA	ADD: UHF STUBBY ANT (403-433MHZ) ADD: UHF STUBBY ANT (430-470MHZ) ADD: UHF WHIP ANT (403-520MHZ)
Battery	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA QA04193AA QA04675AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: DP BATT STD NIMH 1400T NON CE ADD: DP BATT STD LIION 1600T NON CE ADD: DP BATT STD LIION 2250T NON CE ADD: DP BATT STD IP54 LIION 2900T NON CE ADD: DP BATT STD LIION 2900T
Charger	QA03727AA QA03728AA QA03729AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
User Guide	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE
Service from the Start	QA04611AA QA04614AA QA04984AA	ADD: SFS LITE 5 YEAR DEL: NO SFS STANDARD WARRANTY APPLIES ADD: SFS LITE 3 YEAR

Antennas

		<p>Antenna VHF 146-162MHz Stubby</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 146-162MHz GPS: N Colour Code: Black Length (cm): 9
<p>Part Number: HAD9742A</p> <p>VHF STUBBY ANT (146-162MHZ) 9CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>


		<p>Antenna VHF 162-174MHz Stubby</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 162-174MHz GPS: N Colour Code: Blue Length (cm): 9
<p>Part Number: HAD9743A</p> <p>VHF STUBBY ANT (162-174MHZ) 8CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>

		<p>Antenna VHF 146-174MHz</p> <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 146-174MHz GPS: N Colour Code: Black Length (cm): 15 Note: Not for use with GP-R IP67 Models.
<p>Part Number: NAD6502AR</p> <p>ANTENNA, STAMPED METAL,VHF HELIFLEX 146=174MHZ</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>

		<p>Antenna VHF 136-155MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 9 Note: Not for use with GP-R IP67 Models.
<p>Part Number: PMAD4012A</p> <p>VHF STUBBY ANT (136-155MHZ) 9CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>

		<p>Antenna UHF 403-433MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 403-433MHz GPS: N Colour Code: Green Length (cm): 9 Note: Not for use with GP-R IP67 Models.
<p>Part Number: PMAE4002A</p> <p>UHF STUBBY ANT (403-433MHZ) 9CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>

		<p>Antenna UHF 430-470MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 430-470MHz GPS: N Colour Code: Beige Length (cm): 9 Note: Not for use with GP-R IP67 Models.
<p>Part Number: PMAE4003A</p> <p>UHF STUBBY ANT (430-470MHZ) 9CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>

		<p>Antenna UHF 403-520MHz Whip</p> <ul style="list-style-type: none"> Type: Whip Frequency Band: UHF Frequency Range: 403-520MHz GPS: No Colour Code: N/A Length (cm): 17 ATEX Dust Rating: 2D
<p>Part Number: PMAE4016A</p> <p>ANTENNA, STAMPED METAL,UHF WHIP ANT (403-520 MHZ) 17CM</p> <p>Unit of Measure: EA CE: No RTTE: No</p>		<p>List Price</p>


MOTOTRBO DP1000 Series Radio Accessories


Pricing Information Valid As Of: Tuesday, January 09, 2018

Batteries

	<p>Battery Li-ION 2250mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 204 • Chemistry: Li-ION • Operational Time (Hrs): 14(CP Series) • Operational Time (Hrs): 18.5(DP1000 Digital) • Operational Time (Hrs): 14.5(DP1000 Analogue) • Capacity (mAh): 2250mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 11.36 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4497CR BATT LIION 2250T Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

	<p>Battery NiMH 1400mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 210 • Chemistry: NiMH • Operational Time (Hrs): 10(CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 8.84 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Yes • Requires Maintenance: Yes • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4851A BATT NIMH 1480T Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>


	<p>Battery Li-Ion 1600mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 16 • Weight (g): 134 • Chemistry: Li-ION • Operational Time (Hrs): 12(CP Series) • Operational Time (Hrs): 13.5(DP1000 Digital) • Operational Time (Hrs): 10.5(DP1000 Analogue) • Capacity (mAh): 1600mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 13.89 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	<p>List Price</p>
	<p>Part Number: NNTN4970A BATT LIION 1700T Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

	<p>NiMH 1400mAh (Typical) CE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120.69 x 60.36 x 23.35 • Weight (g): 230 • Chemistry: NiMH • Operational Time (Hrs): 10 (CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh (Typical) • Intelligent: No • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 7.64 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Low • Requires Maintenance: Yes • Intrinsic Safety Std: No • Note: New CE battery replacement for NNTN4851A/A-EU 	<p>List Price</p>
	<p>Part Number: PMNN4251AR BATT NIMH 1400T Unit of Measure: EA CE: Yes RTTE: Yes</p>	<p>List Price</p>

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018


Batteries (Continued)



Li-Ion 1600mAh (Typical) CE Battery

- Dimensions HxWxD (mm):120.94 x 60.29 x 20.61
- Weight (g): 147
- Chemistry: Li-Ion
- Operational Time (Hrs): 12(CP Series)
- Operational Time (Hrs): 13.5(DP1000 Digital)
- Operational Time (Hrs): 10.5(DP1000 Analogue)
- Capacity (mAh): 1600mAh (Typical)
- Intelligent: No
- Number of Charge Cycles: 400
- Energy Density (mAh/cm³): 9.98
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: New CE battery replacement for NNTN4970A/A-EU


Part Number: PMNN4253AR	List Price
BATT LIION 1600T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2300mAh (Typical) CE Battery

- Dimensions HxWxD (mm):120.94 x 60.36 x 23.35
- Weight (g): 138
- Chemistry: Li-Ion
- Operational Time (Hrs): 14(CP Series)
- Operational Time (Hrs): 18.5(DP1000 Digital)
- Operational Time (Hrs): 14.5(DP1000 Analogue)
- Capacity (mAh): 2300mAh (Typical)
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³): 12.85
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: New CE battery replacement for NNTN4497CR/CR-EU

Part Number: PMNN4254AR	List Price
BATT LIION 2300T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2900mAh CE Battery

- Dimensions HxWxD (mm):120.69 x 60.36 x 23.35
- Weight (g): 145
- Chemistry: Li-Ion
- Operational Time (Hrs):19 (CP Series)
- Operational Time (Hrs): 23 (DP1000 Digital)
- Operational Time(Hrs):18 (DP1000 Analogue)
- Capacity (mAh): 2900mAh (Typical) / 2800mAh (Minimum)
- IP Rating : IP54
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³):
- Operating Temp Range: -10 - +60 deg C
- Memory Effect: No
- Requires Maintenance: No
- Intrinsic Safety Std: No

Part Number: PMNN4258AR	List Price
BATTERY PACK,BATT LIION IP54 2900T	
Unit of Measure: EA	CE: Yes RTTE: Yes



Li-Ion 2075mAh CE Battery (Mag One)


- Dimensions HxWxD (mm):119.37 x 60.36 x 23.35
- Weight(g): 135
- Chemistry: Lilon
- Operational Time(Hrs): 13.5 (CP Series)
- Operational Time (Hrs): 17.5 (DP1000 Digital)
- Operational Time (Hrs):13.5 (DP1000 Analogue)
- Capacity (mAh): 2075mAh (Typical)
- Intelligent: No
- Number of Charge Cycles: 300
- Energy Density (mAh/cm³): 14.8
- Operating Temp Range: -10C to +60C
- Memory Effect: None
- Requires Maintenance: No
- Intrinsic Safety Std: No
- Note: CE Battery

Part Number: PMNN4259AR	List Price
BATTERY PACK, BATT MAGONE LIION 2075T	
Unit of Measure: EA	CE: Yes RTTE: Yes

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018

Batteries (Continued)

	<p>Li-Ion 2900mAh NonCE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 120.69 x 60.36 x 23.35 • Weight (g): 145 • Chemistry: Li-Ion • Operational Time (Hrs): 19 (CP Series) • Operational Time (Hrs): 23 (DP1000 Digital) • Operational Time (Hrs): 18 (DP1000 Analogue) • Capacity (mAh): 2900mAh (Typical) / 2800mAh (Minimum) • IP Rating : IP54 • Intelligent: No • Number of Charge Cycles: 300 • Energy Density (mAh/cm³): • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	List Price
	<p>Part Number: PMNN4450AR BATT LIION IP54 2900T</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Li-Ion 2075mAh Non-CE Battery (Mag One)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 119.37 x 60.36 x 23.35 • Weight(g): 135 • Chemistry: Lilon • Operational Time(Hrs): 13.5 (CP Series) • Operational Time (Hrs): 17.5 (DP1000 Digital) • Operational Time (Hrs): 13.5 (DP1000 Analogue) • Capacity (mAh): 2075mAh (Typ) • Intelligent: No • Number of Charge Cycles: 300 • Energy Density (mAh/cm³): 14.8 • Operating Temp Range: -10C to +60C • Memory Effect: None • Requires Maintenance: No • Intrinsic Safety Std: No • Note: Non-CE Battery 	List Price
	<p>Part Number: PMNN4458AR BATT_MAGONE_LIION_2075T</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

Carrying Solutions

	<p>Universal Nylon Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: HLN6602A UNIVERSAL CHESTPACK</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Spring Belt Clip (Black)</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Clip • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: HLN8255B SPRING BELT CLIP BLACK</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Nylon Carry Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Belt loop • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: HLN9701B NYLON CARRYCASE SHORT DTMF</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Waterproof Bag</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Shoulder • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: HLN9985B WEATHERPOOF BAGGIE</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Carry Case Shoulder Strap</p> <ul style="list-style-type: none"> • Adjustable Black Nylon Strap for cases with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA • Quick Release of Radio: Yes 	List Price
	<p>Part Number: NTN5243A STRAP</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Break-A-Way Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: RLN4570A BREAKAWAY CHEST PACK</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

MOTOTRBO DP1000 Series Radio Accessories

Carrying Solutions (Continued)

	<p>Universal Radiopak & Utility Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: RLN4815A FANNY PACK CARRY ACCESSORY Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Fixed Belt loop (not replaceable) • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5383A LEATHER CC W/BELT LOOP & D-RING Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 6.4 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop (replacement belt loop reference: 4280483B03) • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5384B LEATHER CASE WITH 2.5 Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 7.6 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop (replacement belt loop reference: 4280483B04) • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5385B LEATHER CASE WITH 3" SWIVEL Unit of Measure: EA CE: No RTTE: No</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>2" Belt Clip</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Belt Clip • Belt Swivel: N • Display/Non Display: N/A 	List Price
	<p>Part Number: RLN5644A 2" BELT CLIP Unit of Measure: EA CE: No RTTE: No</p>	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018

Chargers and Conditioners

	<p>Desktop Rapid Single Unit Charger (UK)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5191B CORE SUC LEVEL V SMPS UK CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Desktop Rapid Single Unit Charger (Euro)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5192B CORE SUC LEVEL V SMPS EU CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	


	<p>Desktop Rapid Single Unit Charger (US)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 120 V • Line Cord: US • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN5193B CORE SUC LEVEL V SMPS NA/LA CORD</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Multi-Unit Charger, Euro plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):90x520x175 • Weight (Kg): 2.35 • Chemistry: Li-ION/NiMH/NiCD • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN6598A CHR STD MUC INT EU</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Multi-Unit Charger, UK plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):90x520x175 • Weight (Kg):2.35 • Chemistry: Li-ION/NiMH/NiCD • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN6600A CHR STD MUC INT UK</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Travel Charger with VPA adaptor</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):70x70x70 • Weight (Kg): 0.3 with Bracket • Chemistry: Li-ION/NiMH • Number of Pockets : 1 • Maintenance System: No • Operating Voltage: 12 - 24 volt • Line Cord: Other • Display: No • Charger Type: Rapid 	List Price
	<p>Part Number: PMLN7089A CHR STD TRVL EXT</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

Ear Microphone Solutions



1-Wire Ear Hook, Black

- Operation: Receive only
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)


Part Number: BDN6720A	List Price
EARPIECE W/GP300 CONNECTOR	
Unit of Measure: EA CE: Yes RTTE: No	



Clear Coiled Voicetube kit

- Operation: NA
- PTT: NA
- Vox capability: NA
- Extra Vox-Switch on PTT: NA
- Intrinsic Safety Standard: FM
- Replacement ear tips: part number 67009254001 (pack of 10 pcs).
- Portfolio compatibility: MDPMLN4418, MDPMLN4519, FTN6707, NNTN8294 and NNTN8295

Part Number: PMLN4605A	List Price
CLEAR COILED AUDIO KIT	
Unit of Measure: EA CE: Yes RTTE: No	



2-Wire Earpiece with clear acoustic tube(Beige)

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM

Part Number: PMLN6445A	List Price
2-W SURV(BEIGE)W CLR ACOUSTICEARPCS	
Unit of Measure: EA CE: Yes RTTE: Yes	



2-Wire Earpiece with clear acoustic tube(Black)

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: Non FM

Part Number: PMLN6530A	List Price
2-WIRE W/ TRANS TUBE, BLACK	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Earpiece with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months


Part Number: PMLN6531A	List Price
EARPC W IN-LINE MIC/PTT/VOX,MAG ONE	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Swivel Earpiece with MIC/PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN6532A	List Price
SWIVEL EARPC W MIC/PTT MAGONE	
Unit of Measure: EA CE: Yes RTTE: Yes	



2-Wire Earbud with MIC and PTT combined

- Operation: Receive and transmit
- PTT: PTT on mic
- Vox capability: No
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No


Part Number: PMLN6533A	List Price
ACCESSORY KIT,EARSET W COMBINED MIC/PTT	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Earbud with in-line microphone and PTT

- Operation: Receive and transmit
- PTT: In-line
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN6534A	List Price
EARBUD W IN-LINE MIC/PTT/VOX,MAGONE	
Unit of Measure: EA CE: Yes RTTE: Yes	



D-Shell Earpiece with PTT/Mic

- Receive Method: Standard
- Transmit Method: Microphone
- VOX capability: No
- PTT: In Line
- Intrinsic Safety: FM (CP140, CP160 and CP180 only, not for use with P100 Series Radios)

Part Number: PMLN6535A	List Price
D-STYLE EARPIECE WITH MIC/PTT	
Unit of Measure: EA CE: Yes RTTE: Yes	



Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6230A	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BLACK	
Unit of Measure: EA CE: Yes RTTE: No	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018

Ear Microphone Solutions (Continued)



Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Beige)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6231A	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BIEGE	
Unit of Measure: EA CE: No RTTE: No	



Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6232A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BLACK	
Unit of Measure: EA CE: No RTTE: No	




Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Beige)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.


Part Number: RLN6241A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BIEGE	
Unit of Measure: EA CE: No RTTE: No	

Replacement Parts




POWER SUPPLY, SWITCH-MODE , LOW NOISE, 18W, US/NA

Part Number: 25009297001	List Price
POWER SUPPLY, SWITCH-MODE , LOW NOISE, 18W, US/NA	
Unit of Measure: EA CE: No RTTE: No	



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, EU

Part Number: PS000037A01	List Price
POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, EU	
Unit of Measure: EA CE: Yes RTTE: Yes	



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, UK/HK

Part Number: PS000037A02	List Price
POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, UK/HK	
Unit of Measure: EA CE: Yes RTTE: Yes	




Earpad and Windscreen Kit
Replacement parts

Part Number: REX4648A	List Price
EARPAD & WINDSCREEN KIT	
Unit of Measure: EA CE: Yes RTTE: No	

MOTOTRBO DP1000 Series Radio Accessories

Replacement Parts (Continued)

	<p>Desktop Rapid Single Unit Charger Base</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: N/A • Line Cord: N/A • Display: No • Charger Type: Rapid 	
	<p>Part Number: WPLN4137BR CHARGER SINGLE UNIT BASE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

Service and Repair

<p>IMAGE COMING SOON</p>	<p>Battery Eliminator for CP Series and DP1400</p> <ul style="list-style-type: none"> • Allows for easier servicing of the Portable radios. 	
	<p>Part Number: 0180305K08EPP BATTERY ELIMINATOR, GUPPY, ROHS</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

	<p>SERVICE TOOL, ASSY</p> <ul style="list-style-type: none"> • Allows easier removal of radio knobs and chassis disassembly. 	
	<p>Part Number: 6686533Z01 SERVICE TOOL, ASSY</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p>

<p>IMAGE COMING SOON</p>	<p>MOTOTRBO Portable Programming Cable with TTR</p> <ul style="list-style-type: none"> • This cable connects the radio to a USB port for radio programming. 	
	<p>Part Number: PMKN4128A PORTABLE PROGRAMMING WITH TTR</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>


<p>IMAGE COMING SOON</p>	<p>MOTOTRBO Portable Test Cable</p> <ul style="list-style-type: none"> • This cable connects the radio to RLN4460 Portable Test Set for test and measurement. 	
	<p>Part Number: PMKN4156A CABLE, ASSEMBLY, TWO PIN AUDIO JACK TEST CABLE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

	<p>Radio Test Box</p> <ul style="list-style-type: none"> • Test Box used during radio setup/test and tune. 	
	<p>Part Number: RLN4460C TEST BOX, MOBILE/PORTABLE</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p>

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018


Software and Applications



MOTOTRBO Software DVD EMEA

- Software DVD containing CPS v15.5
- Tuner v15.5
- AirTracer Software v10.0
- Radio Management v2.9.15


Part Number: GMVN5141AT	List Price
MOTOTRBO CPS/TUNER CD EMEA	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Radio Management Licence Key

- This orders the licence key to add an additional 500 radio archives to the Radio Management (RM) Server.
- The RM Server can store and manage up to 5,000 radio codeplug archives.
- The initial installation contains free licences for 10 radio archives by default.
- Additional radio archives for Wired or OTAP management and programming need to be purchased.
- The RM Server can store codeplug and template information for All MOTOTRBO radios when read/written via cable. However ONLY certain MOTOTRBO radios can be programmed over the air (OTAP).
- NOTE 1: This license is no-longer required since the latest version of Radio Management (2.1.17) does NOT require the purchase of a license in order to add devices to the Server.
- NOTE 2: This license will no-longer be available from the end of 2017, so in order to continue adding devices to the Radio Management Server it is important to upgrade to the latest version of Radio Management before then.


Part Number: HKVN4065A	List Price
MOTOTRBO RADIO MGMT LIC	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Analogue to Digital Upgrade Software Licence Key

- This orders the licence key to upgrade your Analogue only radio to Digital/Analogue capability.


Part Number: HKVN4204A	List Price
MOTOTRBO ANLG TO DIG UPGRADE KEY	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Radio IP Site Connect Licence Key

- This orders the licence key to add IPSC capability to the DP1400, DM1000 Series and SL1600 radio.


Part Number: HKVN4279A	List Price
MOTOTRBO RADIO IPSC LIC KEY EA	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Spanish Band Restriction Feature - Licence Key

- This orders the License Key needed to activate the Spanish Band Restriction feature in the CPS/RM application.
- The Spanish Band Restriction feature is supported by CPS Version 13.5 (Build 679) onwards.
- Once activated, the CPS/RM does not allow applicable devices to be configured into parts of the VHF/UHF band which have been disallowed by the Spanish regulatory authority.

Part Number: HKVN4487A	List Price
LICENSE, SPAIN BAND FREQUENCY RANGE	
Unit of Measure: EA CE: No RTTE: No	



Received Audio Leveling - Licence Key

- This orders the Licence key to activate the Received Audio Leveling feature in a DP1400 / DP2x00 / DP2x00e / DP3441 / DP3441e / DP3661e / DP4x0x / DP4x0xe / DP4x01 Ex / DP4x01 Ex Ma / SL1600 / SL2600 / SL40x0 / SL40x0e / DM1x00 / DM2600 / DM4x0x / DM4x0xe radio.
- This feature permits the user to place the radio in a mode whereby it provides an improved audio experience by introducing more consistent audio levels that compensate for differences between different transmit radios.

Part Number: HKVN4497A	List Price
LICENSE, MOTOTRBO RADIO RX AUDIO LEVELING - EA	
Unit of Measure: EA CE: No RTTE: No	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018

Headsets

	<p>MagOne Earset with Boom Microphone and In-line PTT/VOX switch</p> <ul style="list-style-type: none"> • PTT: In-line • Receive via: Single ear • Transmit via: Boom mic • Headband: None • Vox capability: Yes • Extra Vox-Switch on PTT: Yes • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months
	<p>Part Number: PMLN6537A EARSET,BOOMMIC,INLINEPTT/VOX,MAGONE Unit of Measure: EA CE: Yes RTTE: Yes</p> <p style="text-align: right;">List Price</p>

	<p>Lightweight Headset</p> <ul style="list-style-type: none"> • PTT: No • Receive via: Single ear • Transmit via: Boom mic • Headband: Over • Vox capability: Yes • Extra Vox-Switch on PTT: No • Intrinsic Safety Standard: No
	<p>Part Number: PMLN6538A LIGHTWEIGHT HDSET W SWIVEL BOOM MIC Unit of Measure: EA CE: Yes RTTE: Yes</p> <p style="text-align: right;">List Price</p>

	<p>Lightweight Temple Transducer</p> <ul style="list-style-type: none"> • Receive method: Bone conduction • Transmit method: Microphone • Voice Activation: Yes • PTT: In Line • Intrinsic Safety: No
	<p>Part Number: PMLN6541A LIGHTWEIGHT TEMPLE TRANSDUCER HDST Unit of Measure: EA CE: Yes RTTE: Yes</p> <p style="text-align: right;">List Price</p>

	<p>MagOne Breeze HS with BOOM MIC & PTT</p> <ul style="list-style-type: none"> • PTT: In-line • Receive via: Single ear • Transmit via: Boom mic • Headband: Over • Vox capability: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months
	<p>Part Number: PMLN6542A ACCESSORY KIT,BREEZE HS W BOOM MIC & PTT MAGONE Unit of Measure: EA CE: Yes RTTE: Yes</p> <p style="text-align: right;">List Price</p>

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>Noise Canceling Heavy Duty Headset</p> <ul style="list-style-type: none"> • PTT: yes • Receive: both ears • Transmit via: boom mic • Headband: behind the head • VOX capability: yes via VOX switch • Noise reduction: 24dB • Intrinsic safety standard: No • IP rating: IP54
	<p>Part Number: PMLN6854A BEHIND THE HEAD H/DUTY HEADSET/VOX, 2 PIN Unit of Measure: EA CE: Yes RTTE: Yes</p> <p style="text-align: right;">List Price</p>

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Tuesday, January 09, 2018

Remote Speaker Microphones



Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950/FM

Part Number: MDRLN4885B	List Price
EARBUD WITH 3.5MM PLUG	
Unit of Measure: EA CE: Yes RTTE: Yes	



Receive only Earpiece with Translucent Tube and Eartip - FM UL

- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950/FM

Part Number: MDRLN4941A	List Price
RECEIVE-ONLY EARP. W. TRANSC. TUBE	
Unit of Measure: EA CE: Yes RTTE: Yes	



D-Shell Earpiece, 3.5mm for RSM

- Operation: Attach to RSM - Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950 for DP4000e series/FM

Part Number: PMLN4620B	List Price
D-SHELL RX-ONLY EARPIECE(3.5MM)	
Unit of Measure: EA CE: Yes RTTE: Yes	



Adjustable D-style Earpiece for RSM

- Operation: attach to RSM - Receive only
- No PTT
- 3.5mm jack
- For use with Remote Speaker microphones
- Ear Hanger size adjustable as per user's need

Part Number: PMLN7396A	List Price
RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK	
Unit of Measure: EA CE: Yes RTTE: Yes	



Receive only Earpiece with Translucent Tube and Eartip - Non FM non UL

- Replaces MDRLN4941A Voice Tube for non intrinsic safety standard requirements
- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: No

Part Number: PMLN7560A	List Price
REC ONLY EARPIECE W/TRANSLUCENT TUBE	
Unit of Measure: EA CE: Yes RTTE: Yes	



Remote Speaker Microphone, with Ear Jack & Enhanced Noise Reduction

- Audio Jack: 3.5mm
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature
- IP Rating: IP54 (RSM head only)
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)

Part Number: PMMN4013A	List Price
MICROPHONE,REMOTE SPEAKER MIC,RX-JACK(2 PIN)	
Unit of Measure: EA CE: Yes RTTE: Yes	



Remote Speaker Microphone, with Enhanced Noise Reduction

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature
- IP Rating: IP57 (RSM Head only)
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)

Part Number: PMMN4029A	List Price
REMOTE SPEAKER MIC,IP57 (2 PIN)	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Remote Speaker Microphone with Omnidirectional mic

- Audio Jack: No
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months
- Note: Not for use with MP300 portable radio.

Part Number: PMMN4092A	List Price
REMOTE SPEAKER MIC, MAG ONE	
Unit of Measure: EA CE: Yes RTTE: Yes	

MOTOTRBO DP1000 Series Radio Accessories

Remote Speaker Microphones (Continued)



Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: UL-TIA4950 for DP4000e series/FM

Part Number: WADN4190B	List Price
EAR RCVR W/COIL CBL&3.5MM PLUG	
Unit of Measure: EA CE: No RTTE: No	


Miscellaneous Accessories



Option Board Installation Kit

- Provides a generic option board platform onto which application partner developed DP software applications can be loaded
- Kit contains 10 flex, 10 Poron and 20 screws

Part Number: PMLN7228A	List Price
OPTION BOARD INSTALLATION KIT	
Unit of Measure: EA CE: No RTTE: Yes	



RFID Volume Knob

- Pack of 20 radio volume knobs containing high-performance RFID tags.
- Easily retrofitted to MOTOTRBO DP1400 and legacy Motorola CP/GP portables.
- Enables RFID fleet management of Motorola portables.

Part Number: PMLN7355A	List Price
KNOB,RFID VOL KNOB, DP1400 -20 PACK	
Unit of Measure: EA CE: No RTTE: No	



Retainer Kit

- Retainer Kit for Commercial Series Portable Radio.
- Hold Audio accessories securely to the radio in demanding environments.

Part Number: RLN5500A	List Price
RETAINER KIT	
Unit of Measure: EA CE: No RTTE: No	

Model	Part number description	No. Years	Part Number
MOTOTRBO Entry	3YR SFS LITE MOTOTRBO	3Yrs	GMLN5403A
	5YR SFS LITE MOTOTRBO	5Yrs	GMLN5404A
	3YR SFS ESSENTIAL MOTOTRBO	3Yrs	GMLN5405A
	5YR SFS ESSENTIAL MOTOTRBO	5Yrs	GMLN5406A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	3Yrs	GMLN5407A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	5Yrs	GMLN5408A
MOTOTRBO Mid/High	3YR SFS LITE MOTOTRBO	3Yrs	GMLN5376A
	5YR SFS LITE MOTOTRBO	5Yrs	GMLN5377A
	3YR SFS ESSENTIAL MOTOTRBO	3Yrs	GM0261A
	5YR SFS ESSENTIAL MOTOTRBO	5Yrs	GM0262A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	3Yrs	GM0263A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	5Yrs	GM0264A
MOTOTRBO Specialist	3YR SFS LITE MOTOTRBO SPECIALIST	3Yrs	GMLN5378A
	5YR SFS LITE MOTOTRBO SPECIALIST	5Yrs	GMLN5379A
	3YR SFS ESSENTIAL MOTOTRBO SPECIALIST	3Yrs	GM0272A
	5YR SFS ESSENTIAL MOTOTRBO SPECIALIST	5Yrs	GM0273A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	3Yrs	GM0275A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	5Yrs	GM0274A

Table 2: Service from the Start Pricing for MOTOTRBO SLR1000, SLR5500 and SLR8000 Repeater

Model	Part number description	No. Years	Part Number
MOTOTRBO Specialist	3YR SFS LITE MOTOTRBO SPECIALIST	3Yrs	GMLN5443A
	5YR SFS LITE MOTOTRBO SPECIALIST	5Yrs	GMLN5444A
	3YR SFS ESSENTIAL MOTOTRBO SPECIALIST	3Yrs	GMLN5445A
	5YR SFS ESSENTIAL MOTOTRBO SPECIALIST	5Yrs	GMLN5446A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	3Yrs	GMLN5447A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	5Yrs	GMLN5448A

Table 3: Service from the Start Yearly Renewals Pricing for MOTOTRBO radios upon completion of every 3 or 5 year service agreements, depending on the availability of the service support for specific radios

Model	Part number description	No. Years	Part Number
MOTOTRBO Entry	1YR SFS LITE MOTOTRBO	1Yr	GMLN5455A
	1YR SFS ESSENTIAL MOTOTRBO	1Yr	GMLN5456A
	1YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	1Yr	GMLN5457A
MOTOTRBO Mid/High	1YR SFS LITE MOTOTRBO	1Yr	GMLN5458A
	1YR SFS ESSENTIAL MOTOTRBO	1Yr	GMLN5459A
	1YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	1Yr	GMLN5460A
MOTOTRBO Specialist	1YR SFS LITE MOTOTRBO	1Yr	GMLN5461A
	1YR SFS ESSENTIAL MOTOTRBO	1Yr	GMLN5462A
	1YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	1Yr	GMLN5463A

Table 4: Service from the Start Yearly Renewals Pricing for SLR1000, SLR5500 and SLR8000 repeater upon completion of year service agreements

Model	Part number description	No. Years	Part Number
MOTOTRBO Specialist	1YR SFS LITE MOTOTRBO	1Yr	GMLN5464A
	1YR SFS ESSENTIAL MOTOTRBO	1Yr	GMLN5465A
	1YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	1Yr	GMLN5466A

Table 5: MOTOTRBO Radios and Repeater for which SFS is available

ENTRY	MID / HIGH	SPECIALIST
DP1400	DP2400 DP2600	DP4401Ex
DM1400	DP3441 DP3661	DP4801Ex
DM1600	DP4400 DP4401	SLR1000 Repeater
SL1600	DP4600 DP4601	SLR5500 Repeater
SL2600	DP4800 DP4801	SLR8000 Repeater
	DM2600	
	DM4400 DM4401	
	DM4600 DM4601	
	SL4000 SL4010	
	DP3400* DP3401*	
	DP3600* DP3601*	
	DM3400* DM3401*	
	DM3600* DM3601*	

*Note that SFS 5YR packages will be withdrawn for the DP3xxx and DM3xxx cancelled radios effective as of January 1, 2015. SFS 3YR packages will still be available beyond this date.

Model	Part number description	No. Years	Part Number
TETRA Standard	3YR SFS LITE TETRA STD	3Yrs	GMLN5373A
	5YR SFS LITE TETRA STD	5Yrs	GMLN5372A
	3YR SFS ESSENTIAL TETRA STD	3Yrs	GM0252A
	5YR SFS ESSENTIAL TETRA STD	5Yrs	GM0256A
	3YR SFS WITH COMPREHENSIVE COVERAGE TETRA STD	3Yrs	GM0254A
	5YR SFS WITH COMPREHENSIVE COVERAGE TETRA STD	5Yrs	GM0255A
TETRA First	3YR SFS LITE TETRA FIRST	3Yrs	GMLN5394A
	5YR SFS LITE TETRA FIRST	5Yrs	GMLN5395A
	3YR SFS ESSENTIAL TETRA FIRST	3Yrs	GM0280A
	5YR SFS ESSENTIAL TETRA FIRST	5Yrs	GM0281A
	3YR SFS WITH COMPREHENSIVE COVERAGE TETRA FIRST	3Yrs	GM0282A
	5YR SFS WITH COMPREHENSIVE COVERAGE TETRA FIRST	5Yrs	GM0283A
TETRA Specialist	3YR SFS LITE TETRA SPECIALIST	3Yrs	GMLN5374A
	5YR SFS LITE TETRA SPECIALIST	5Yrs	GMLN5375A
	3YR SFS ESSENTIAL TETRA SPECIALIST	3Yrs	GM0259A
	5YR SFS ESSENTIAL TETRA SPECIALIST	5Yrs	GM0260A
	3YR SFS WITH COMPREHENSIVE COVERAGE TETRA SPECIALIST	3Yrs	GM0257A
	5YR SFS WITH COMPREHENSIVE COVERAGE TETRA SPECIALIST	5Yrs	GM0258A

Table 7: Service from the Start Yearly Renewals Pricing for TETRA radios upon completion of every 3 or 5 year service agreements, depending on the availability of the service support for specific radios

Model	Part number description	No. Years	Part Number
TETRA Standard	1YR SFS LITE TETRA STD	1Yr	GMLN5467A
	1YR SFS ESSENTIAL TETRA STD	1Yr	GMLN5468A
	1YR SFS WITH COMPREHENSIVE COVERAGE TETRA STD	1Yr	GMLN5469A
TETRA First	1YR SFS LITE TETRA FIRST	1Yr	GMLN5470A
	1YR SFS ESSENTIAL TETRA FIRST	1Yr	GMLN5471A
	1YR SFS WITH COMPREHENSIVE COVERAGE TETRA FIRST	1Yr	GMLN5472A
TETRA Specialist	1YR SFS LITE TETRA SPECIALIST	1Yr	GMLN5473A
	1YR SFS ESSENTIAL TETRA SPECIALIST	1Yr	GMLN5474A
	1YR SFS WITH COMPREHENSIVE COVERAGE TETRA SPECIALIST	1Yr	GMLN5475A

Table 8: TETRA Terminals for which SFS is available

STANDARD	FIRST	SPECIALIST
ADVISOR TPG2200 MTP6650 MTP6550 MTP3100 MTP3150 MTP3200 MTP3250 MTP3500 MTP3550 MTM5200 MTM5400 MTM5500 MTM800 MTP850 MTP850 FuG MTP830 S MTP830 FuG	MTP6750	MTP8550Ex MTP8500Ex MTP810Ex MTP850Ex TCR1000 ST7000

Price Catalogue is subject to change without notice. Motorola Online prices should always be used as the most accurate price reference.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2017 Motorola Solutions, Inc. All rights reserved.