


MOTOTRBO™ DP1400 Portable Radio



YOU'RE SIMPLY MORE EFFICIENT



Contents

DP1400 MOTOTRBO Portable Radio

DP1400 MOTOTRBO Accessories



DP1400 MOTOTRBO Portable Radio

Simple Voice Communications for the Everyday User



Features

- VHF (136-174MHz); UHF1 (403-470MHz)
- 16 channels
- Large, textured push-to-talk button for ease of use
- 2 programmable buttons to improve ease-of-use and increase operator efficiency
- Tri-colour LED for clear visual feedback on radio operating status
- Digital Emergency via programmable button to help ensure rapid response to critical incidents
- Sophisticated Emergency Calls help ensure employee safety
- Quick, easy-to-use Group and Individual call capability
- PTT ID helps improve communications efficiency and system discipline
- Elegant channel scanning schemes help ensure calls are received first time every time
- Basic Privacy
- VOX Capability
- Lone Worker
- Programmable Text Messaging Capability
- Voice announcement of channel change and feature activation
- Digital Upgrade via Software Purchase (Analogue Only model)
- IP54 environmental sealing helps ensure continued operation in tough working conditions

Standard Package

- Battery Option
- Single-Unit Charger Option
- Antenna Options
- 3" Belt Clip (HLN8255_)
- In-box Documentation

NOTE 1: The 24 months warranty only applies to the radio, it does not apply to batteries or accessories shipped within the model package. Service From the Start packages are also available.

NOTE 2: Bulk models (...B) are to be ordered in multiples of 20, and are shipped without single packaging.

Technical Data

Potential Self-quieting Frequencies to be avoided:

VHF: 144 MHz, 153.6 MHz, 172.8 MHz

UHF: 420 MHz, 440 MHz

DP1400 136-174M 5W ND PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JA2AN	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
CLS BAT DP1400	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: CP BATT STD NIMH 1400T NON CE ADD: CP BATT STD LI-ION 1600T NON CE ADD: CP BATT STD LI-ION 2300T NON CE
CLS CHG DP1400	QA03724AA QA03725AA QA03726AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
CLS MAN DP1400	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JA2ANB	DP1400 136-174M 5W ND PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
CLS BAT DP1400	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: CP BATT STD NIMH 1400T NON CE ADD: CP BATT STD LI-ION 1600T NON CE ADD: CP BATT STD LI-ION 2300T NON CE
CLS CHG DP1400 BULK	QA03727AA QA03728AA QA03729AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
CLS MAN DP1400	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 136-174M 5W ND ANALOG PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JC2AN	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
CLS BAT DP1400	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: CP BATT STD NIMH 1400T NON CE ADD: CP BATT STD LI-ION 1600T NON CE ADD: CP BATT STD LI-ION 2300T NON CE
CLS CHG DP1400	QA03724AA QA03725AA QA03726AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
CLS MAN DP1400	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 136-174M 5W ND ANALOG PTI302C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01JDC9JC2ANB	DP1400 136-174M 5W ND ANALOG PTI302C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03717AA QA03718AA QA03719AA QA03720AA	ADD: VHF STUBBY ANT (151-159MHZ) ADD: VHF STUBBY ANT (162-174MHZ) ADD: VHF STUBBY ANT (135-155MHZ) ADD: VHF WHIP ANT (146-174MHZ)
----------------	--	--

DP1400 MOTOTRBO Portable Radio

DP1400 136-174M 5W ND ANALOG PTI302C (Continued)

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
CLS BAT DP1400 QA03714AA	ADD: DP BATT STD NIMH 1400T	
QA03715AA	ADD: DP BATT STD LIION 1600T	
QA03716AA	ADD: DP BATT STD LIION 2300T	
QA04008AA	ADD: CP BATT STD NIMH 1400T NON CE	
QA04009AA	ADD: CP BATT STD LI-ION 1600T NON CE	
QA04010AA	ADD: CP BATT STD LI-ION 2300T NON CE	
CLS CHG DP1400 BULK QA03727AA	ADD: DP SUC SMPS UK 230V	
QA03728AA	ADD: DP SUC SMPS EU 220/240V	
QA03729AA	DEL: CHARGER	
CLS MAN DP1400 QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 403-470M 4W ND PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JA2AN	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
CLS BAT DP1400 QA03714AA	ADD: DP BATT STD NIMH 1400T	
QA03715AA	ADD: DP BATT STD LIION 1600T	
QA03716AA	ADD: DP BATT STD LIION 2300T	
QA04008AA	ADD: CP BATT STD NIMH 1400T NON CE	
QA04009AA	ADD: CP BATT STD LI-ION 1600T NON CE	
QA04010AA	ADD: CP BATT STD LI-ION 2300T NON CE	
CLS CHG DP1400 QA03724AA	ADD: DP SUC SMPS UK 230V	
QA03725AA	ADD: DP SUC SMPS EU 220/240V	
QA03726AA	DEL: CHARGER	
CLS MAN DP1400 QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 403-470M 4W ND PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JA2ANB	DP1400 403-470M 4W ND PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna QA03721AA	ADD: UHF STUBBY ANT (403-433MHZ)	
QA03722AA	ADD: UHF STUBBY ANT (430-470MHZ)	
QA03723AA	ADD: UHF WHIP ANT (403-520MHZ)	
CLS BAT DP1400 QA03714AA	ADD: DP BATT STD NIMH 1400T	
QA03715AA	ADD: DP BATT STD LIION 1600T	
QA03716AA	ADD: DP BATT STD LIION 2300T	
QA04008AA	ADD: CP BATT STD NIMH 1400T NON CE	
QA04009AA	ADD: CP BATT STD LI-ION 1600T NON CE	
QA04010AA	ADD: CP BATT STD LI-ION 2300T NON CE	
CLS CHG DP1400 BULK QA03727AA	ADD: DP SUC SMPS UK 230V	
QA03728AA	ADD: DP SUC SMPS EU 220/240V	
QA03729AA	DEL: CHARGER	
CLS MAN DP1400 QA03730AA	ADD: DP1000 SERIES QUICK REF GUIDE	
QA03731AA	DEL: QUICK REFERENCE GUIDE	

DP1400 MOTOTRBO Portable Radio

DP1400 403-470M 4W ND ANALOG PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JC2AN	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	

Mandatory Options: One option from each group must be chosen

Antenna	QA03721AA QA03722AA QA03723AA	ADD: UHF STUBBY ANT (403-433MHZ) ADD: UHF STUBBY ANT (430-470MHZ) ADD: UHF WHIP ANT (403-520MHZ)
CLS BAT DP1400	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: CP BATT STD NIMH 1400T NON CE ADD: CP BATT STD LI-ION 1600T NON CE ADD: CP BATT STD LI-ION 2300T NON CE
CLS CHG DP1400	QA03724AA QA03725AA QA03726AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
CLS MAN DP1400	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

DP1400 403-470M 4W ND ANALOG PTI502C

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH01QDC9JC2ANB	DP1400 403-470M 4W ND ANALOG PTI502C CE: Yes RTTE: Yes	


Mandatory Options: One option from each group must be chosen


Antenna	QA03721AA QA03722AA QA03723AA	ADD: UHF STUBBY ANT (403-433MHZ) ADD: UHF STUBBY ANT (430-470MHZ) ADD: UHF WHIP ANT (403-520MHZ)
CLS BAT DP1400	QA03714AA QA03715AA QA03716AA QA04008AA QA04009AA QA04010AA	ADD: DP BATT STD NIMH 1400T ADD: DP BATT STD LIION 1600T ADD: DP BATT STD LIION 2300T ADD: CP BATT STD NIMH 1400T NON CE ADD: CP BATT STD LI-ION 1600T NON CE ADD: CP BATT STD LI-ION 2300T NON CE
CLS CHG DP1400 BULK	QA03727AA QA03728AA QA03729AA	ADD: DP SUC SMPS UK 230V ADD: DP SUC SMPS EU 220/240V DEL: CHARGER
CLS MAN DP1400	QA03730AA QA03731AA	ADD: DP1000 SERIES QUICK REF GUIDE DEL: QUICK REFERENCE GUIDE

Antennas

	Antenna VHF 146-162MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 146-162MHz GPS: N Colour Code: Black Length (cm): 9 					
	<table border="1"> <tr> <td>Part Number: HAD9742A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (146-162MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: HAD9742A	List Price	VHF STUBBY ANT (146-162MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9742A	List Price					
VHF STUBBY ANT (146-162MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						


	Antenna VHF 162-174MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 162-174MHz GPS: N Colour Code: Blue Length (cm): 9 					
	<table border="1"> <tr> <td>Part Number: HAD9743A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (162-174MHZ) 8CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: HAD9743A	List Price	VHF STUBBY ANT (162-174MHZ) 8CM		Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9743A	List Price					
VHF STUBBY ANT (162-174MHZ) 8CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna VHF 146-174MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 146-174MHz GPS: N Colour Code: Black Length (cm): 15 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: NAD6502AR</td> <td>List Price</td> </tr> <tr> <td>WIDEBAND VHF ANTENNA</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: NAD6502AR	List Price	WIDEBAND VHF ANTENNA		Unit of Measure: EA CE: No RTTE: No
Part Number: NAD6502AR	List Price					
WIDEBAND VHF ANTENNA						
Unit of Measure: EA CE: No RTTE: No						

	Antenna VHF 136-155MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAD4012A</td> <td>List Price</td> </tr> <tr> <td>VHF STUBBY ANT (136-155MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAD4012A	List Price	VHF STUBBY ANT (136-155MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAD4012A	List Price					
VHF STUBBY ANT (136-155MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						

	Antenna UHF 403-433MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 403-433MHz GPS: N Colour Code: Green Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAE4002A</td> <td>List Price</td> </tr> <tr> <td>UHF STUBBY ANT (403-433MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4002A	List Price	UHF STUBBY ANT (403-433MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4002A	List Price					
UHF STUBBY ANT (403-433MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						


	Antenna UHF 430-470MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 430-470MHz GPS: N Colour Code: Beige Length (cm): 9 Note: Not for use with GP-R IP67 Models. 					
	<table border="1"> <tr> <td>Part Number: PMAE4003A</td> <td>List Price</td> </tr> <tr> <td>UHF STUBBY ANT (430-470MHZ) 9CM</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4003A	List Price	UHF STUBBY ANT (430-470MHZ) 9CM		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4003A	List Price					
UHF STUBBY ANT (430-470MHZ) 9CM						
Unit of Measure: EA CE: No RTTE: No						


	Antenna UHF 403-520MHz Whip <ul style="list-style-type: none"> Type: Whip Frequency Band: UHF Frequency Range: 403-520MHz GPS: No Colour Code: N/A Length (cm): 17 ATEX Dust Rating: 2D 					
	<table border="1"> <tr> <td>Part Number: PMAE4016A</td> <td>List Price</td> </tr> <tr> <td>ANTENNA WHIP 403-520 MHZ E</td> <td></td> </tr> <tr> <td>Unit of Measure: EA CE: No RTTE: No</td> <td></td> </tr> </table>	Part Number: PMAE4016A	List Price	ANTENNA WHIP 403-520 MHZ E		Unit of Measure: EA CE: No RTTE: No
Part Number: PMAE4016A	List Price					
ANTENNA WHIP 403-520 MHZ E						
Unit of Measure: EA CE: No RTTE: No						

Batteries


	<p>Battery Li-ION 2250mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 204 • Chemistry: Li-ION • Operational Time (Hrs): 14(CP Series) • Operational Time (Hrs): 18.5(DP1000 Digital) • Operational Time (Hrs): 14.5(DP1000 Analogue) • Capacity (mAh): 2250mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 11.36 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	List Price
	<p>Part Number: NNTN4497CR ASSEMBLY,BATTERY,LITHIUM ION,LI-ION BATTERY 2190 MAH Unit of Measure: EA CE: No RTTE: No</p>	


	<p>Battery NiMH 1400mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 22 • Weight (g): 210 • Chemistry: NiMH • Operational Time (Hrs): 10(CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 8.84 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Yes • Requires Maintenance: Yes • Intrinsic Safety Std: No 	List Price
	<p>Part Number: NNTN4851A BATT NIMH 1400MAH STD Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Battery Li-Ion 1600mAh</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120 x 60 x 16 • Weight (g): 134 • Chemistry: Li-ION • Operational Time (Hrs): 12(CP Series) • Operational Time (Hrs): 13.5(DP1000 Digital) • Operational Time (Hrs): 10.5(DP1000 Analogue) • Capacity (mAh): 1600mAh • Intelligent: • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 13.89 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No 	List Price
	<p>Part Number: NNTN4970A SLIM LI ION BATTERY 1600 MAH Unit of Measure: EA CE: No RTTE: No</p>	

	<p>NiMH 1400mAh (Typical) CE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):120.69 x 60.36 x 23.35 • Weight (g): 230 • Chemistry: NiMH • Operational Time (Hrs): 10 (CP Series) • Operational Time (Hrs): 11.5 (DP1000 Digital) • Operational Time (Hrs): 9 (DP1000 Analogue) • Capacity (mAh): 1400mAh (Typical) • Intelligent: No • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 7.64 • Operating Temp Range: -20 - +60 deg C • Memory Effect: Low • Requires Maintenance: Yes • Intrinsic Safety Std: No • Note: New CE battery replacement for NNTN4851A/A-EU 	List Price
	<p>Part Number: PMNN4251AR BATT STD NIMH1300M1400T Unit of Measure: EA CE: Yes RTTE: Yes</p>	

Batteries (Continued)

	<p>Li-Ion 1600mAh (Typical) CE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 120.94 x 60.29 x 20.61 • Weight (g): 147 • Chemistry: Li-Ion • Operational Time (Hrs): 12(CP Series) • Operational Time (Hrs): 13.5(DP1000 Digital) • Operational Time (Hrs): 10.5(DP1000 Analogue) • Capacity (mAh): 1600mAh (Typical) • Intelligent: No • Number of Charge Cycles: 400 • Energy Density (mAh/cm³): 9.98 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No • Note: New CE battery replacement for NNTN4970A/A-EU 	<p>List Price</p>
	<p>Part Number: PMNN4253AR BATT SLIM LIION 1500M1600T Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Li-Ion 2300mAh (Typical) CE Battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm): 120.94 x 60.36 x 23.35 • Weight (g): 138 • Chemistry: Li-Ion • Operational Time (Hrs): 14(CP Series) • Operational Time (Hrs): 18.5(DP1000 Digital) • Operational Time (Hrs): 14.5(DP1000 Analogue) • Capacity (mAh): 2300mAh (Typical) • Intelligent: No • Number of Charge Cycles: 300 • Energy Density (mAh/cm³): 12.85 • Operating Temp Range: -10 - +60 deg C • Memory Effect: No • Requires Maintenance: No • Intrinsic Safety Std: No • Note: New CE battery replacement for NNTN4497CR/CR-EU 	<p>List Price</p>
	<p>Part Number: PMNN4254AR BATT HICAP LION 2190M2300T Unit of Measure: EA CE: Yes RTTE: Yes</p>	

Carrying Solutions

	<p>Universal Nylon Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	<p>List Price</p>
	<p>Part Number: HLN6602A UNIVERSAL CHESTPACK Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Spring Belt Clip (Black)</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Clip • Belt Swivel: No • Quick Release of Radio: Yes 	<p>List Price</p>
	<p>Part Number: HLN8255B SPRING BELT CLIP BLACK Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Nylon Carry Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Belt loop • Belt Swivel: No • Quick Release of Radio: Yes 	<p>List Price</p>
	<p>Part Number: HLN9701B NYLON CARRYCASE SHORT DTMF Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Waterproof Bag</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Shoulder • Belt Swivel: N • Display/Non-Display: Both 	<p>List Price</p>
	<p>Part Number: HLN9985B WEATHERPOOF BAGGIE Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Carry Case Shoulder Strap</p> <ul style="list-style-type: none"> • Adjustable Black Nylon Strap for cases with D-rings • Material: Nylon • Attachment Type: NA • Belt Swivel: NA • Quick Release of Radio: Yes 	<p>List Price</p>
	<p>Part Number: NTN5243A STRAP Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Break-A-Way Chest Pack</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	<p>List Price</p>
	<p>Part Number: RLN4570A BREAKAWAY CHEST PACK Unit of Measure: EA CE: Yes RTTE: No</p>	

Carrying Solutions (Continued)

	<p>Universal Radiopak & Utility Case</p> <ul style="list-style-type: none"> • Material: Nylon • Attachment Type: Chest • Belt Swivel: N • Display/Non-Display: Both 	List Price
	<p>Part Number: RLN4815A FANNY PACK CARRY ACCESSORY Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: No • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5383A LEATHER CC W/BELT LOOP & D-RING Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 6.4 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5384B LEATHER CASE WITH 2.5 Unit of Measure: EA CE: No RTTE: No</p>	

	<p>Leather Carry Case with 7.6 cm swivel belt loop (CP140/DP1400)</p> <ul style="list-style-type: none"> • Material: Hard leather • Attachment Type: Belt loop • Belt Swivel: Yes • Quick Release of Radio: Yes 	List Price
	<p>Part Number: RLN5385B LEATHER CASE WITH 3" SWIVEL Unit of Measure: EA CE: No RTTE: No</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>2" Belt Clip</p> <ul style="list-style-type: none"> • Material: Plastic • Attachment Type: Belt Clip • Belt Swivel: N • Display/Non Display: N/A 	List Price
	<p>Part Number: RLN5644A 2" BELT CLIP Unit of Measure: EA CE: No RTTE: No</p>	

Chargers and Conditioners

<p>IMAGE COMING SOON</p>	<p>Multi-Unit Charger,UK plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):152x450x300 • Weight (Kg):3.6 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 			
	<p>Part Number: NNTN8351A CHARGER, STD MUC INT UK Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">List Price</td> </tr> <tr> <td></td> <td></td> </tr> </table>		List Price	
	List Price			

<p>IMAGE COMING SOON</p>	<p>Multi-Unit Charger,Euro plug</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):152x450x300 • Weight (Kg): 3.6 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 6 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 			
	<p>Part Number: NNTN8352A CHARGER, STD MUC INT EU Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">List Price</td> </tr> <tr> <td></td> <td></td> </tr> </table>		List Price	
	List Price			

	<p>Desktop Radid Single Unit Charger (UK)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: UK • Display: No • Charger Type: Rapid 			
	<p>Part Number: PMLN5191B CORE SUC LEVEL V SMPS UK CORD Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">List Price</td> </tr> <tr> <td></td> <td></td> </tr> </table>		List Price	
	List Price			

	<p>Desktop Radid Single Unit Charger (Euro)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 230 V • Line Cord: Euro • Display: No • Charger Type: Rapid 			
	<p>Part Number: PMLN5192B CORE SUC LEVEL V SMPS EU CORD Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">List Price</td> </tr> <tr> <td></td> <td></td> </tr> </table>		List Price	
	List Price			

	<p>Desktop Radid Single Unit Charger (US)</p> <ul style="list-style-type: none"> • Dimensions HxWxD (mm):50 x 100 x 110 • Weight (g): 0.4 • Chemistry: Li-ION/NiCd/NiMH • Number of Pockets: 1 • Maintenance System: No • Operating Voltage AC: 120 V • Line Cord: US • Display: No • Charger Type: Rapid 			
	<p>Part Number: PMLN5193B CORE SUC LEVEL V SMPS NA/LA CORD Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="width: 80%;"></td> <td style="text-align: right;">List Price</td> </tr> <tr> <td></td> <td></td> </tr> </table>		List Price	
	List Price			

Ear Microphone Solutions


	<p>1-Wire Ear Hook, Black</p> <ul style="list-style-type: none"> • Operation: Receive only • PTT: NA • Vox capability: NA • Extra Vox-Switch on PTT: NA • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 	List Price
	<p>Part Number: BDN6720A EARPIECE W/GP300 CONNECTOR</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Clear Coiled Voicetube kit for MDPMLN4418 and MDPMLN4519</p> <ul style="list-style-type: none"> • Operation: NA • PTT: NA • Vox capability: NA • Extra Vox-Switch on PTT: NA • Intrinsic Safety Standard: FM 	List Price
	<p>Part Number: PMLN4605A CLEAR COILED AUDIO KIT</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>2-Wire Earpiece with clear acoustic tube(Beige)</p> <ul style="list-style-type: none"> • Operation: Receive and transmit • PTT: PTT on mic • Vox capability: No • Extra Vox-Switch on PTT: No • Intrinsic Safety Standard: Non FM 	List Price
	<p>Part Number: PMLN6445A 2-W SURV(BEIGE)W CLR ACOUSTICEARPCS</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>2-Wire Earpiece with clear acoustic tube(Black)</p> <ul style="list-style-type: none"> • Operation: Receive and transmit • PTT: PTT on mic • Vox capability: No • Extra Vox-Switch on PTT: No • Intrinsic Safety Standard: Non FM 	List Price
	<p>Part Number: PMLN6530A 2-WIRE W/ TRANS TUBE, BLACK</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Earpiece with in-line microphone and PTT</p> <ul style="list-style-type: none"> • Operation: Receive and transmit • PTT: In-line • Vox capability: Yes • Extra Vox-Switch on PTT: Yes • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months 	List Price
	<p>Part Number: PMLN6531A EARPC W IN-LINE MIC/PTT/VOX, MAG ONE</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Swivel Earpiece with MIC/PTT</p> <ul style="list-style-type: none"> • Operation: Receive and transmit • PTT: In-line • Vox capability: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months 	List Price
	<p>Part Number: PMLN6532A SWIVEL EARPC W MIC/PTT MAGONE</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Earbud with in-line microphone and PTT</p> <ul style="list-style-type: none"> • Operation: Receive and transmit • PTT: In-line • Vox capability: Yes • Extra Vox-Switch on PTT: Yes • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months 	List Price
	<p>Part Number: PMLN6534A EARBUD W IN-LINE MIC/PTT/VOX, MAGONE</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>D-Shell Earpiece with PTT/Mic</p> <ul style="list-style-type: none"> • Receive Method: Standard • Transmit Method: Microphone • VOX capability: Yes • PTT: In Line • Intrinsic Safety: FM (CP140, CP160 and CP180 only, not for use with P100 Series Radios) 	List Price
	<p>Part Number: PMLN6535A D-STYLE EARPIECE WITH MIC/PTT</p> <p>Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Black)</p> <ul style="list-style-type: none"> • Noise Kits provide extra comfort when wearing surveillance accessories. • Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter. • Clothing clip prevents the accessory from being pulled from the ear due to body movements. 	List Price
	<p>Part Number: RLN6230A EARPLUGS FOAM/ACOUSTIC TUBE BLACK</p> <p>Unit of Measure: EA CE: Yes RTTE: No</p>	

	<p>Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Beige)</p> <ul style="list-style-type: none"> • Noise Kits provide extra comfort when wearing surveillance accessories. • Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter. • Clothing clip prevents the accessory from being pulled from the ear due to body movements. 	List Price
	<p>Part Number: RLN6231A EARPLUGS FOAM/ACOUSTIC TUBE BIEGE</p> <p>Unit of Measure: EA CE: No RTTE: No</p>	

Ear Microphone Solutions (Continued)



Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6232A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BLACK	
Unit of Measure: EA CE: No RTTE: No	




Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Beige)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6241A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BEIGE	
Unit of Measure: EA CE: No RTTE: No	


Replacement Parts



Switch Mode Power Supply (Euro)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: Euro


Part Number: EPNN9286B	List Price
SMPS LEVEL V EU CORD	
Unit of Measure: EA CE: Yes RTTE: No	



Switch Mode Power Supply (UK)

- Type: Switch Mode
- Dimensions (mm): 100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: UK

Part Number: EPNN9287B	List Price
SMPS LEVEL V UK CORD	
Unit of Measure: EA CE: Yes RTTE: No	



Switch Mode Power Supply (US)


- Type: Switch Mode
- Dimensions (mm):100(L),48(W),36(H)
- Operating Temperature(°C):0°C to +50°C
- Storage Temperature(°C):-40°C to 85°C
- Operating Voltage (Vac): 90-264
- Line cord: US

Part Number: EPNN9288B	List Price
SMPS LEVEL V NA/LA CORD	
Unit of Measure: EA CE: Yes RTTE: No	

Earpad & Windscreen Kit

IMAGE
COMING SOON

Part Number: REX4648A	List Price
Earpad & Windscreen Kit	
Unit of Measure: EA CE: Yes RTTE: No	



Desktop Rapid Single Unit Charger Base

- Dimensions HxWxD (mm):50 x 100 x110
- Weight (g): 0.4
- Chemistry: Li-ION/NiCd/NiMH
- Number of Pockets: 1
- Maintenance System: No
- Operating Voltage AC: N/A
- Line Cord: N/A
- Display: No
- Charger Type: Rapid

Part Number: WPLN4137BR	List Price
CHARGER TRI-CHEM EPP SU DT	
Unit of Measure: EA CE: Yes RTTE: No	

Service and Repair

IMAGE
COMING SOON

Battery Eliminator for CP Series and DP1400

- Allows for easier servicing of the Portable radios.

Part Number: 0180305K08EPP	List Price
BATTERY ELIMINATOR, GUPPY, ROHS	
Unit of Measure: EA CE: No RTTE: No	



Service Tool

- Allows easier removal of radio knobs and chassis disassembly.

Part Number: 6686533Z01	List Price
SERVICE TOOL,ASSY	
Unit of Measure: EA CE: No RTTE: No	

IMAGE
COMING SOON

MOTOTRBO Portable Programming Cable with TTR

- This cable connects the radio to a USB port for radio programming.


Part Number: PMKN4128A	List Price
PORTABLE PROGRAMMING WITH TTR	
Unit of Measure: EA CE: Yes RTTE: No	

IMAGE
COMING SOON

MOTOTRBO Portable Test Cable

- This cable connects the radio to RLN4460 Portable Test Set for test and measurement.

Part Number: PMKN4156A	List Price
TWO PIN AUDIO JACK TEST CABLE	
Unit of Measure: EA CE: Yes RTTE: No	




Radio Test Box

- Test Box used during radio setup/test and tune.

Part Number: RLN4460C	List Price
TEST BOX,MOBILE/PORTABLE	
Unit of Measure: EA CE: Yes RTTE: No	


Software and Applications



MOTOTRBO Software DVD EMEA

- Software CD including CPS v9.0,
- Tuner v10.1, and
- AirTracer Software v7.5.


Part Number: GMVN5141AD	List Price
MOTOTRBO CPS/TUNER DVD EMEA	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Radio Management Licence Key

- This orders the license key to add an additional 500 radio archives to the Radio Management (RM) Server.
- The RM Server can store and manage up to 5,000 radio codeplug archives.
- The initial installation contains free licenses for 10 radio archives by default.
- Additional radio archives for Wired or OTAP management and programming need to be purchased.
- The RM Server can store codeplug and template information for All MOTOTRBO radios when read/written via cable. However ONLY the SL4000, DP/DM4000 and DP2000 series MOTOTRBO radios can be programmed over the air (OTAP).

Part Number: HKVN4065A	List Price
MOTOTRBO RADIO MGMT LIC	
Unit of Measure: EA CE: No RTTE: No	



MOTOTRBO Analogue to Digital Upgrade Software Licence Key

- This orders the licence key to upgrade your Analogue only radio to Digital/Analogue capability.


Part Number: HKVN4204A	List Price
MOTOTRBO ANLG TO DIG UPGRADE KEY	
Unit of Measure: EA CE: No RTTE: No	

Headsets

EARSET W COMBINED MIC/PTT

IMAGE
COMING SOON

Part Number: PMLN6533A	List Price
EARSET W COMBINED MIC/PTT	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Earset with Boom Microphone and In-line PTT/VOX switch

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months


Part Number: PMLN6537A	List Price
EARSET,BOOMMIC,INLINEPTT/VOX,MAGONE	
Unit of Measure: EA CE: Yes RTTE: Yes	



Lightweight Headset

- PTT: No
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No

Part Number: PMLN6538A	List Price
LIGHTWEIGHT HDSET W SWIVEL BOOM MIC	
Unit of Measure: EA CE: Yes RTTE: Yes	



Medium Weight Dual Muff Headset

- PTT: No
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No

Part Number: PMLN6539A	List Price
MED WT OVER-THE-HEAD DUAL MUFF HDST	
Unit of Measure: EA CE: Yes RTTE: Yes	

MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Wednesday, September 11, 2013


Headsets (Continued)



Heavy Duty Headset

- PTT: Yes
- Receive via: Both ears
- Transmit via: Boom mic
- Headband: Over
- VOX capability: Yes
- Noise Reduction Ratio: 24dB
- Intrinsic Safety Standard: No

Part Number: PMLN6540A	List Price
HEAVY-DUTY NC BOOM MIC HDST	
Unit of Measure: EA CE: Yes RTTE: Yes	



Lightweight Temple Transducer

- Receive method: Bone conduction
- Transmit method: Microphone
- Voice Activation: Yes
- PTT: In Line
- Intrinsic Safety: No

Part Number: PMLN6541A	List Price
LIGHTWEIGHT TEMPLE TRANSDUCER HDST	
Unit of Measure: EA CE: Yes RTTE: Yes	



MagOne Breeze HS with BOOM MIC & PTT

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

Part Number: PMLN6542A	List Price
BREEZE HS W BOOM MIC & PTT MAGONE	
Unit of Measure: EA CE: Yes RTTE: Yes	


Remote Speaker Microphones



Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: MDRLN4885B	List Price
EARBUD WITH 3.5MM PLUG	
Unit of Measure: EA CE: Yes RTTE: Yes	



Receive only Earpiece with Translucent Tube and EarTip

- Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: MDRLN4941A	List Price
RECEIVE-ONLY EARP. W. TRANSC. TUBE	
Unit of Measure: EA CE: Yes RTTE: Yes	



D-Shell Earpiece, 3.5mm for RSM

- Operation: Attach to RSM - Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

Part Number: PMLN4620B	List Price
D-SHELL RX-ONLY EARPIECE(3.5MM)	
Unit of Measure: EA CE: Yes RTTE: Yes	



Remote Speaker Microphone, with Ear Jack & Enhanced Noise Reduction

- Audio Jack: 3.5mm
- Emergency Button: No
- Volume Control: No
- Noise Cancelling: Windporting feature
- IP Rating: IP54 (RSM head only)
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)

Part Number: PMMN4013A	List Price
REMOTE SPEAKER MIC, RX-JACK(2 PIN)	
Unit of Measure: EA CE: Yes RTTE: Yes	


MOTOTRBO DP1000 Series Radio Accessories

Pricing Information Valid As Of: Wednesday, September 11, 2013

Remote Speaker Microphones (Continued)

	<p>Remote Speaker Microphone, with Enhanced Noise Reduction</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: Windporting feature • IP Rating: IP57 (RSM Head only) • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 	List Price
	<p>Part Number: PMMN4029A REMOTE SPEAKER MIC,IP57 (2 PIN) Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>MagOne Remote Speaker Microphone with Omnidirectional mic</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months • Note: Not for use with MP300 portable radio. 	List Price
	<p>Part Number: PMMN4092A REMOTE SPEAKER MIC, MAG ONE Unit of Measure: EA CE: Yes RTTE: Yes</p>	

	<p>Over the ear Receiver for RSM</p> <ul style="list-style-type: none"> • Operation: Attach to RSM • Emergency Button: No • Volume Control: No • Programmable Button: No • Intrinsic Safety Standard: FM (GP Series only) 	List Price
	<p>Part Number: WADN4190B EAR RCVR W/COIL CBL&3.5MM PLUG Unit of Measure: EA CE: No RTTE: No</p>	

Miscellaneous Accessories

	<p>Retainer Kit</p> <ul style="list-style-type: none"> • Retainer Kit for Commercial Series Portable Radio. • Hold Audio accessories securely to the radio in demanding environments. 	List Price
	<p>Part Number: RLN5500A Retainer Kit Unit of Measure: EA CE: No RTTE: No</p>	

Appendix A

DP1400 - OPTION REFERENCE SHEET

<i>Option</i>	<i>Option Description</i>	<i>Accessory Kit No.</i>
QA03717AA	ADD: VHF Stubby Ant (151-159MHz)	HAD9742_
QA03718AA	ADD: VHF Stubby Ant (162-174MHz)	HAD9743_
QA03719AA	ADD: VHF Stubby Ant (135-155MHz)	PMAD4012_
QA03720AA	ADD: VHF Whip Ant (146-174MHz)	NAD6502_R
QA03721AA	ADD: UHF Stubby Ant (403-433MHz)	PMAE4002_
QA03722AA	ADD: UHF Stubby Ant (430-470MHz)	PMAE4003_
QA03723AA	ADD: UHF Whip Ant (403-520MHz)	PMAE4016_
QA03714AA	ADD: DP BATT STD NIMH 1400T	PMNN4251_R
QA03715AA	ADD: DP BATT STD LIION 1600T	PMNN4253_R
QA03716AA	ADD: DP BATT STD LIION 2300T	PMNN4254_R
QA04008AA	ADD: DP BATT STD NIMH 1400T Non CE	NNTN4851_
QA04009AA	ADD: DP BATT STD LI-ION 1600T Non CE	NNTN4970_
QA04010AA	ADD: DP BATT STD LI-ION 2300T Non CE	NNTN4497_R
QA03724AA	ADD: DP SUC SMPS UK 230V	PMLN5191_
QA03725AA	ADD: DP SUC SMPS EU 220/240V	PMLN5192_

DP1400 - HISTORY SHEET

<i>Date Revision</i>	<i>Comment</i>
13 th Sept 2013	Initial Release

SERVICE FROM THE START

SETTING A NEW STANDARD FOR SERVICE

Every day, you rely on your Motorola Solutions MOTOTRBO radios for your critical communications. Now, you can protect these radios against normal wear and tear and more with Service from the Start – one of the most extensive service offerings available.

This unique offering comprises fast turnaround times, expert telephone technical support and access to the latest software releases all backed by Motorola’s global infrastructure, highly qualified support technicians and certified repair facilities. You’ll get multi-year technical support and repair coverage, eliminating ‘surprise’ repair costs and providing the investment protection you need to reduce your total cost of ownership.

To ensure our service meets your needs we have a range of options you can add to your Service from the Start contract. Need a faster repair response? Motorola offers an expedited repair, with our Priority Two-Day Repair Option. Or select our Cosmetic Refurbishment Option to keep your radios looking like new. If you want to keep your devices operating at peak capacity, you will be interested in building our Battery Replacement Option into your service agreement.

AT-A-GLANCE: SERVICE FROM THE START VS. WARRANTY

<i>Services</i>	<i>Warranty</i>	<i>SfS Lite</i>	<i>SfS Essential</i>	<i>SfS Comprehensive</i>
Coverage Period	24 months	3 or 5 Years	3 or 5 Years	3 or 5 Years
Repair Turnaround Time (In House)	10+ days	10 days	5 days	5 days
Normal wear & tear	Defects Only	Defects Only	✓	✓
Helpdesk Technical Support Response Time (8x5)	Not Available	Not Available	4 hr response	4 hr response
Shipping	1-way	1-way	2-way	2-way
Software Maintenance	Defects Only	Not Available	✓	✓
Accidental damage	Not Available	Not Available	Not Available	✓
Battery Replacement	Not Available	Not Available	Option	Option
Cosmetic Refurbishment	Not Available	Not Available	Option	Option
Priority Turnaround Time (2 days)	Not Available	Not Available	Option	Option

Part Numbers and Pricing

The following part numbers should be used to order Service from the Start. They can be accessed at Motorola Online (MOL) by either using the 'Quick Buy' feature or by searching and selecting the appropriate part number using the 'Search Catalog' feature.

Model	Part number description	No. Years	Part Number
MOTOTRBO	3YR SFS LITE MOTOTRBO	3Yrs	GMLN5376A
	5YR SFS LITE MOTOTRBO	5Yrs	GMLN5377A
	3YR SFS ESSENTIAL MOTOTRBO	3Yrs	GM0261A
	5YR SFS ESSENTIAL MOTOTRBO	5Yrs	GM0262A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	3Yrs	GM0263A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO	5Yrs	GM0264A
MOTOTRBO Options	ADD: 3YR PMNN4104 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03361AA
	ADD: 5YR PMNN4104 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03378AA
	ADD: 3YR PMNN4101 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03362AA
	ADD: 5YR PMNN4101 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03379AA
	ADD: 3YR PMNN4102 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03363AA
	ADD: 5YR PMNN4102 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03380AA
	ADD: 3YR PMNN4103 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03364AA
	ADD: 5YR PMNN4103 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03381AA
	ADD: 3YR NNTN8129 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03366AA
	ADD: 5YR NNTN8129 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03382AA
	ADD: 3YR PMNN4407 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03367AA
	ADD: 5YR PMNN4407 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03383AA
	ADD: 3YR PMNN4409 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03392AA
	ADD: 5YR PMNN4409 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03368AA
	ADD: 3YR PMNN4412 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03371AA
	ADD: 5YR PMNN4412 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03391AA
	ADD: 3YR PMNN4415 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03372AA
	ADD: 5YR PMNN4415 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03384AA
	ADD: 3YR PMNN4416 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03373AA
	ADD: 5YR PMNN4416 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03385AA
	ADD: 3YR PMNN4417 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03374AA
	ADD: 5YR PMNN4417 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03386AA
	ADD: 3YR PMNN4418 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03375AA
	ADD: 5YR PMNN4418 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03387AA
	ADD: 3YR HKNN4013 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03376AA
	ADD: 5YR HKNN4013 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03388AA
	ADD: 3YR PMNN4425 BTRY REPLACE MOTOTRBO HANDPORTABLE	3Yrs	QA03360AA
	ADD: 5YR PMNN4425 BTRY REPLACE MOTOTRBO HANDPORTABLE	5Yrs	QA03389AA
	ADD: 3YR PMNN4440A BTRY REPLACE MOTOTRBO DP3441	3Yrs	QA04117AA
	ADD: 5YR PMNN4440A BTRY REPLACE MOTOTRBO DP3441	5Yrs	QA04106AA
	ADD: 3YR PMNN4251AR BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04118AA
	ADD: 5YR PMNN4251AR BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04107AA
	ADD: 3YR PMNN4253AR BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04119AA
	ADD: 5YR PMNN4253AR BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04108AA
	ADD: 3YR PMNN4254AR BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04102AA
	ADD: 5YR PMNN4254AR BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04109AA
	ADD: 3YR NNTN4851A BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04103AA
	ADD: 5YR NNTN4851A BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04110AA
	ADD: 3YR NNTN4970A BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04104AA
	ADD: 5YR NNTN4970A BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04111AA
	ADD: 3YR NNTN4497CR BTRY REPLACE MOTOTRBO DP1000 Series	3Yrs	QA04105AA
	ADD: 5YR NNTN4497CR BTRY REPLACE MOTOTRBO DP1000 Series	5Yrs	QA04112AA
ADD: 3YR COSMETIC REFURB MOTOTRBO	3Yrs	QA03369AA	
ADD: 5YR COSMETIC REFURB MOTOTRBO	5Yrs	QA03370AA	
ADD: 3YR 2 DAY PRIORITY REPAIR MOTOTRBO	3Yrs	QA03377AA	
ADD: 5YR 2 DAY PRIORITY REPAIR MOTOTRBO	5Yrs	QA03390AA	
MOTOTRBO Specialist	3YR SFS LITE MOTOTRBO SPECIALIST	3Yrs	GMLN5378A
	5YR SFS LITE MOTOTRBO SPECIALIST	5Yrs	GMLN5379A
	3YR SFS ESSENTIAL MOTOTRBO SPECIALIST	3Yrs	GM0273A
	5YR SFS ESSENTIAL MOTOTRBO SPECIALIST	5Yrs	GM0274A
	3YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	3Yrs	GM0272A
	5YR SFS WITH COMPREHENSIVE COVERAGE MOTOTRBO SPECIALIST	5Yrs	GM0275A
MOTOTRBO Specialist Options	ADD: 3YR NNTN8359 BTRY REPLACE MOTOTRBO SPECIALIST HANDPORTABLE	3Yrs	QA03860AA
	ADD: 5YR NNTN8359 BTRY REPLACE MOTOTRBO SPECIALIST HANDPORTABLE	5Yrs	QA03861AA
	ADD: 3YR COSMETIC REFURB MOTOTRBO SPECIALIST	3Yrs	QA03369AB
	ADD: 5YR COSMETIC REFURB MOTOTRBO SPECIALIST	5Yrs	QA03370AB
	ADD: 3YR 2 DAY PRIORITY REPAIR MOTOTRBO SPECIALIST	3Yrs	QA03377AB
	ADD: 5YR 2 DAY PRIORITY REPAIR MOTOTRBO SPECIALIST	5Yrs	QA03390AB

For more details on how to order Service from the Start for MOTOTRBO ATEX or Service from the Start LITE, please refer to the ordering guide at [Motorola Online](#).